

Data ultimo aggiornamento: 14/01/2010 2:58

Data ultima stampa: 14/01/2010 2:58

Bibliografia generale

A

- Aagaard B. T., Heaton T. H. (2004) : Near – source ground motions from simulations of substained intersonic and supersonic fault ruptures, *Bull. Seism. Soc. Am.*, **94**, No. 6, pp. 2064 – 2078
- Abe K. (1975) : Reliable estimation of the seismic moment of large earthquakes, *J. Phys. Earth*, **23**, pp. 381 – 390
- Abercrombie R. E., Rice J. R. (2005) : Can observations of earthquake scaling constrain slip weakening?, *Geophys. J. Int.*, **162**, pp. 406 – 424
- Achenbach J. D., Abo – Zena A. M. (1973) : Analysis of the dynamics of strike – slip faulting, *J. Geophys. Res.*, **78**, pp. 866 – 875
- Adams G. G. (1995) : Self – excited oscillations of two elastic half – spaces sliding with a constant coefficient of friction, *J. Appl. Mech.*, **62**, pp. 867 – 871
- Adams G. G. (1998) : Steady sliding of two elastic half – spaces with friction reduction due to interface stick – slip, **65**, *J. Appl. Mech.*, pp. 470 – 475
- Adams G. G., Barber J. R., Ciavarella M., Rice J. R. (2005) : A paradox in sliding contact problems with friction, *J. Appl. Mech.*, **72**, pp. 450 – 452
- Adams G. G., Barber J. R., Ciavarella M., Rice J. R. (2006) : Closure to “ Discussion of ‘ A paradox in sliding contact problems with friction ‘ “ , *J. Appl. Mech.*, **73**, p. 887
- Aki K. (1979) : Characterization of barriers on an earthquake fault, *J. Geophys. Res.*, **84**, No. B11, pp. 6140 – 6148

- Aki K., Richards P. G. (1980) : Quantitative seismology. Theory and method, voll. I e II, *W. H. Company*, San Francisco
- Allen A. R. (1979) : Mechanism of frictional fusion in fault zones, *J. Struct. Geol.*, **1**, pp. 231 – 243
- Andrews D. J. (s. d.) : Application of rupture propagation theories to earthquakes, Open Report, U. S. G. S., Menlo Park, CA
- Andrews D. J. (1973) : A numerical study of tectonic stress release by underground explosions, *Bull. Seism. Soc. Am.*, **63**, No. 4, pp. 1375 – 1391
- Andrews D. J. (1975) : From antimoment to moment: plane – strain models of earthquakes that stop, *Bull. Seism. Soc. Am.*, **65**, No. 1, pp. 163 – 182
- Andrews D. J. (1976a) : Rupture propagation with finite stress in antiplane strain, *J. Geophys. Res.*, **81**, No. 20, pp. 3575 – 3582
- Andrews D. J. (1976b) : Rupture velocity of plane strain shear cracks, *J. Geophys. Res.*, **81**, No. 32, pp. 5679 – 5687
- Andrews D. J. (1978) : Coupling of energy between tectonic processes and earthquakes, *J. Geophys. Res.*, **83**, No. B5, pp. 2259 – 2264
- Andrews D. J. (1980a) : A stochastic fault model – 1. Static case, *J. Geophys. Res.*, **85**, No. B7, pp. 3867 – 3877
- Andrews D. J. (1980b) : Fault impedance and earthquake energy in the Fourier transform domain, *Bull. Seism. Soc. Am.*, **70**, No. 5, pp. 1683 – 1698

Bibliografia generale

- Andrews D. J. (1981) : A stochastic fault model – 2. Time – dependent case, *J. Geophys. Res.*, **86**, No. B11, pp. 10821 – 10834
- Andrews D. J. (1985) : Dynamic plane – strain shear rupture with a slip – weakening friction law calculated by a boundary integral method, *Bull. Seism. Soc. Am.*, **75**, No. 1, pp. 1 – 21
- Andrews D. J. (1989) : Mechanics of fault junctions, *J. Geophys. Res.*, **94**, No. B7, pp. 9389 – 9397
- Andrews D. J. (1993) : Fault geometry and earthquake mechanics, *comunicazione personale presso l' International School of Solid Earth Geophysics, Earthquake Source Mechanics*, Erice, Italy, 31 agosto – 7 settembre 1993
- Andrews D. J. (1994) : Dynamic growth of mixed – mode shear cracks, *Bull. Seism. Soc. Am.*, **84**, No. 4, pp. 1184 – 1198
- Andrews D. J. (1999) : Test of two methods for faulting in finite – difference calculations, *Bull. Seism. Soc. Am.*, **89**, No. 4, pp. 931 – 937
- Andrews D. J. (2002a) : A fault constitutive relation accounting for thermal pressurization of pore fluid, *J. Geophys. Res.*, **107**, No. B12, 2363, doi: 10.1029 / 2002JB001942, pp. ESE 15-1 – 15-8
- Andrews D. J. (2002b) : Comment on “ How fast is rupture during an earthquake? New insights from the 1999 Turkey earthquakes “, *Geophys. Res. Lett.*, **29**, No. 15, 10.1029 / 2001GL014126, p. 9-1
- Andrews D. J. (2005) : Rupture dynamics with energy loss outside the slip zone, *J. Geophys. Res.*, **110**, B01307, doi: 10.1029 / 2004JB003191

- Andrews D. J., Ben – Zion Y. (1997) : Wrinkle – like slip pulse on a fault between different materials, *J. Geophys. Res.*, **102**, No. B1, pp. 553 – 571
- Andrews D. J., Das S. (1984) : Dynamic mixed – mode shear crack calculation by a boundary integral method with a generalized friction law, *frammento di paper – to – be*
- Antonioli A., Belardinelli M. E., Bizzarri A., Vogfjord K. S. (2006) : Evidence of instantaneous dynamic triggering during the seismic sequence of year 2000 in South Iceland, *J. Geophys. Res.*, **111**, B03302, doi: 10.1029 / 2005JB003935
- Antonioli A., Belardinelli M. E., Cocco M. (2004) : Modelling dynamic stress changes caused by an extended rupture in an elastic stratified half – space, *Geophys. J. Int.*, **157**, pp. 229 – 244
- Aochi H., Fukuyama E., Matsu'ura M. (2000a) : Spontaneous rupture propagation on a non – planar fault in 3 – D elastic medium, *Pure Appl. Geophys.*, **157**, pp. 2003 – 2027
- Aochi H., Fukuyama E., Matsu'ura M. (2000b) : Selectivity of spontaneous rupture propagation on a branched fault, *Geophys. Res. Lett.*, **27**, No. 22, pp. 3635 – 3638
- Aochi H., Madariaga R., Fukuyama E. (2002) : Effect of normal stress during rupture propagation along nonplanar faults, *J. Geophys. Res.*, **107**, No. B2, doi: 10.1029 / 2001JB000500, pp. ESE 5-1 – 5-10
- Archuleta R. J., Day S. M. (1980) : Dynamic rupture in a layered medium: the 1996 Parkfield earthquake, *Bull. Seism. Soc. Am.*, **70**, pp. 671 – 68
- Arnadottir, T., Jiang W., Feigl K. L., Geirsson H., Sturkell E. (2006) : Kinematic models of plate boundary deformation in southwest Iceland

Bibliografia generale

derived from GPS observations, *J. Geophys. Res.*, **111**, B07402, doi: 10.1029 / 2005JB003907.

Árnadóttir T., Jónsson S., Pedersen R., Gudmundsson G. B. (2003) : Coulomb stress change in the South Iceland Seismic Zone due to two large earthquakes in June 2000, *Geophys. Res. Lett.*, **30**, No. 5, 1205, doi: 10.1029 / 2002GL016495, pp. 9-1 – 9-4

Árnadóttir T., Geirsson H., Einarsson P. (2004) : Coseismic stress changes and crustal deformation on the Reykjanes Peninsula due to triggered earthquakes on June 2000, *J. Geophys. Res.*, **109**, B09307, doi: 10. 1029 / 2004JB003130, pp. 1 – 12

B

- Bachrach R., Nur A., Agnon A. (2001) : Liquefaction and dynamic poroelasticity in soft sediments, *J. Geophys. Res.*, **106**, No. B7, pp. 13515 – 13526
- Backus G., Mulcahy M. (1976a) : Moment tensors and other phenomenological descriptions of seismic sources – I. Continuous displacements, *Geophys. J. Roy. Astr. Soc.*, **46**, pp. 341 – 361
- Backus G., Mulcahy M. (1976b) : Moment tensors and other phenomenological descriptions of seismic sources – II. Discontinuous displacements, *Geophys. J. Roy. Astr. Soc.*, **47**, pp. 301 – 329
- Badea L., Ionescu I. R., Wolf S. (2004) : Domain decomposition method for dynamic faulting under slip – dependent friction, *J. Comput. Phys.*, **201**, pp. 487 – 510
- Baker B. R. (1962) : Dynamic stresses created by a moving crack, *J. Appl. Mech.*, **29**, pp. 449 – 458
- Barenblatt G. I. (1959a) : The formation of equilibrium cracks during brittle fracture. General ideas and hypothesis. Axially symmetric cracks, *Appl. Math. Mech.*, **23**, pp. 622 – 636
- Barenblatt G. I. (1959b) : Concerning equilibrium crack forming during brittle fracture. The stability of isolated cracks. Relationship with energetic theories, *Appl. Math. Mech.*, **23**, pp. 1273 – 1282
- Barenblatt G. I. (1979) : Similarity, self – similarity, and intermediate asymptotics, *Consultants bureau, New York and London*

Bibliografia generale

- Barber J. R., Ciavarella M. (2000) : Contact mechanics, *Intl. J. Sol. Struct.*, **37**, pp. 29 – 43
- Beeler N. M., Hichman S. H., Wong T. – f. (2001) : Earthquake stress drop and laboratory – inferred interseismic strength recovery, *J. Geophys. Res.*, **106**, No. B12, pp. 30701 – 30713
- Beeler N. M., Lockner D. A. (2003) : Why earthquakes correlates weakly with the solid Earth tides: effects of periodic stress on the rate and probability of earthquake occurrence, *J. Geophys. Res.*, **108**, No. B8, 2391, doi: 10.1029 / 2001JB001518, pp. ESE 8-1 – 8-17
- Beeler N. M., Tullis T. E. (1996) : Self – healing slip pulses in dynamic rupture models due to velocity – dependent strength, *Bull. Seism. Soc. Am.*, **86**, No. 4, pp. 1130 – 1148
- Beeler N. M., Tullis T. E. (1997) : The role of time and displacement in velocity – dependent volumetric strain of fault zones, *J. Geophys. Res.*, **102**, No. B10, pp. 22595 – 22609
- Beeler N. M., Tullis T. E., Weeks J. D. (1994) : The roles of time and displacement in the evolution effect in rock friction, *Geophys. Res. Lett.*, **21**, No. 18, pp. 1987 – 1990
- Beeler N. M., Wong T. – f., He C. (2002) : Slip – weakening distance and fracture energy during dynamic sliding with laboratory – inferred fault strength, *Personal communication*
- Belardinelli M. E. (1994) : Rilassamento postsismico e struttura reologica delle zone di faglia, *Ph.D. Thesis in Physics presso l' Università degli Studi di Bologna*

- Belardinelli M. E., Belardinelli E. (1996) : The quasi – static approximation of the spring – slider motion, *Nonlinear Processes in Geophysics*, in corso di stampa
- Belardinelli M. E., Cocco M., Coutant O., Cotton F. (1999) : Redistribution of dynamic stress during coseismic ruptures: evidence for fault interaction and earthquake triggering, *J. Geophys. Res.*, **104**, No. B7, pp. 14925 – 15945
- Belardinelli M. E., Bizzarri A., Cocco M. (2000a) : Earthquake triggering by static and dynamic stress changes, *Abstracts of the XXIV General Assembly of the European Geophysical Society (EGS)*, Nice (Francia), **2** (CD – ROM)
- Belardinelli M. E., Bizzarri A., Cocco M. (2000b) : Earthquake triggering by static and dynamic stress changes, *Proceedings of Fall Meeting of the American Geophysical Union (AGU)*, San Francisco (USA), *Eos. Trans. AGU*, **81** (48), *Fall Meet. Suppl.*, Abstract T12B-08
- Belardinelli M. E., Bizzarri A., Cocco M. (2001a) : The effect of the initial conditions on the earthquake triggering by static and dynamic stress changes, *Abstracts of the XXVI General Assembly of the European Geophysical Society (EGS)*, Nice (Francia), **3** (CD – ROM)
- Belardinelli M. E., Bizzarri A., Cocco M. (2001b) : Induzione di aftershocks per effetto di perturbazioni di sforzo associate a un terremoto, *Riassunti Estesi delle Comunicazioni del XX Convegno Nazionale del Gruppo Nazionale di Geofisica della Terra Solida (GNGTS)*, Roma , p. 232
- Belardinelli M. E., Bizzarri A., Cocco M. (2001c) : Can dynamic stress changes trigger aftershocks?, *Proceedings of Fall Meeting of the American Geophysical Union (AGU)*, San Francisco (U. S. A.), *Eos. Trans. AGU*, **82** (47), *Fall Meet. Suppl.*, Abstract S21B-0567

- Belardinelli M. E., Bizzarri A., Cocco M. (2003) : Earthquake triggering by static and dynamic stress changes, *J. Geophys. Res.*, **108**, No. B3, 2135, ESE 1-1 – 1-16
- Ben – Menahem A. (1995) : A concise history of mainstream seismology: origins, legacy, and perspectives, *Bull. Seism. Soc. Am.*, **85**, No. 4, pp. 1202 – 1225
- Ben – Zion Y. (1996) : Stress, slip, and earthquakes in models of complex single – fault systems incorporating brittle and creep deformations, *J. Geophys. Res.*, **101**, No. B3, pp. 5677 – 5706
- Ben – Zion Y. (2003) : Key formulas in earthquake seismology, *Int. Handbook of Earthquake and Engineering Seismology*, **81B**, pp. 1857 – 1875
- Ben – Zion Y., Andrews D. J. (1998) : Properties and implications of dynamic rupture along a material interface, *Bull. Seism. Soc. Am.*, **88**, No. 4, pp. 1085 – 1094
- Bernard P., Herrero A., Berge C. (1996) : Modeling directivity of heterogeneous earthquake ruptures, *Bull. Seism. Soc. Am.*, **86**, No. 4, pp. 1149 – 1160
- Beroza G. C., Ellsworth W. L. (1996) : Properties of the seismic nucleation phase, *Tectonophysics*, **261**, pp. 209 – 227
- Beroza G. C., Mikumo T. (1996) : Short slip duration in dynamic rupture in the presence of heterogeneous fault properties, *sottomesso a J. Geophys. Res.*.
- Berry F. A. F. (1973) : High fluid potentiels in the California Coast Range and their tectonic significance, *Am. Assoc. Pet. Geol. Bull.*, **57**, pp. 1219 – 1249

- Bhat H. S., Dmowska R., King G. C. P., Klinger Y., Rice J. R. (2007) : Off – fault damage patterns due to supershear ruptures with application to the 2001 M_w 8.1 Kokoxili (Kunlun) Tibet earthquake, *J. Geophys. Res.*, **112**, B06301, doi: 10.1029 / 2006JB004425
- Biot M. A. (1973) : Non linear and semilinear rheology of porous solids, *J. Geophys. Res.*, **78**, No. 23, pp. 4924 – 4937
- Bizzarri A. (1998) : Dinamica dei processi di fagliazione: simulazione dei meccanismi di frattura durante un terremoto, *Tesi di Laurea in Fisica presso l' Università degli studi di Bologna*
- Bizzarri A. (2003) : Earthquake dynamics and fault interactions, *Ph. D. Thesis in Geophysics at the Università degli Studi di Bologna*
- Bizzarri A., Cocco M. (2001) : What controls slip – weakening in rate and state dependent friction laws ?, *Proceedings of Fall Meeting of the American Geophysical Union (AGU) , San Francisco (U. S. A.) , Eos. Trans. AGU, 82 (47) , Fall Meet. Suppl. , Abstract S52B-0620*
- Bizzarri A., Cocco M. (2003) : Slip – weakening behavior during the propagation of dynamic ruptures obeying to rate – and state – dependent friction laws, *J. Geophys. Res.*, **108**, No. B8, 2373, doi: 10.1029 / 2002JB002198, pp. ESE 3-1 – ESE 3-21
- Bizzarri A., Cocco M. (2005) : 3D dynamic simulations of spontaneous rupture propagation governed by different constitutive laws with rake rotation allowed, *Ann. Geophys.*, **48**, No. 2, pp. 279 – 299
- Bizzarri A., Cocco M. (2006a) : A thermal pressurization model for the spontaneous dynamic rupture propagation on a three–dimensional fault:

1. Methodological approach, *J. Geophys. Res.*, **111**, B05303, doi: 10.1029 / 2005JB003862
- Bizzarri A., Cocco M. (2006b) : A thermal pressurization model for the spontaneous dynamic rupture propagation on a three–dimensional fault: 2. Traction evolution and dynamic parameters, *J. Geophys. Res.*, **111**, B05304, doi: 10.1029 / 2005JB003864
- Bizzarri A., Cocco M. (2006c) : Correction to “A thermal pressurization model for the spontaneous dynamic rupture propagation on a three–dimensional fault: 1. Methodological approach “, *J. Geophys. Res.*, **111**, B11302, doi: 10.1029 / 2006JB004759
- Bizzarri A., Cocco M. (2006d) : Comment on “ Earthquake cycles and physical modeling of the process leading up to a large earthquake “, *Earth, Planet and Space*, **58**, No. 11, pp. 1525 – 1528
- Bizzarri A., Cocco M., Andrews D. J., Boschi E. (1999) : Dynamic rupture models with different constitutive laws: stability of the solutions and heterogeneity of the constitutive parameters, *Abstracts of the XXIV General Assembly of the European Geophysical Society (EGS)*, The Hague (Olanda), **1**, No. 1, p. 87
- Bizzarri A., Cocco M., Andrews D. J., Boschi E. (2001) : Solving the dynamic rupture problem with different numerical approaches and constitutive laws, *Geophys. J. Int.*, **144** , pp. 656 – 678
- Bizzarri A., Cocco M., Boschi E. (1998) : Ruolo delle eterogeneità spaziali dei parametri costitutivi nello studio di fenomeni di frattura 2 – D, *Riassunti Estesi delle Comunicazioni del XVII Convegno Nazionale del Gruppo Nazionale di Geofisica della Terra Solida (GNGTS)*, Roma, pp. 158 – 159
- Bizzarri A., Cocco M., Boschi E. (1999) : Nucleazione, propagazione ed arresto in modelli dinamici 2 – D in presenza di attrito spazialmente eterogeneo,

Riassunti Estesi delle Comunicazioni del XVIII Convegno Nazionale del Gruppo Nazionale di Geofisica della Terra Solida (GNGTS), Roma, pp. 196 – 197

Bland D. R. (1960) : The theory of linear viscoelasticity, *Pergamon Press*

Blanpied M. L., Lockner D. A., Byerlee J. D. (1991) : Fault stability inferred from granite sliding experiments at hydrothermal conditions, *Geophys. Res. Lett.*, **18**, pp. 609 – 612

Blanpied M. L., Lockner D. A., Byerlee J. D. (1992) : An earthquake mechanism based on rapid sealing of faults, *Nature*, **358**, pp. 574 – 576

Blanpied M. L., Lockner D. A., Byerlee J. D. (1995) : Frictional slip of granite at hydrothermal conditions, *J. Geophys. Res.*, **100**, No. B7, pp. 13045 – 13064

Blikberg R., Sørenvik T. (2005) : Load balancing and OpenMP implementation of nested parallelism, *Parallel Computing*, **31**, pp. 984 – 998

Boatwright J., Cocco M., Okubo P. G. (1995) : How earthquakes stop in stable – sliding areas, *Atti del Fall meeting of the American Geophysical Union 1995*, p. F415, *EOS (Trans. Am. Geophys. Union)*

Boatwright J., Cocco M. (1996) : Frictional constraints on crustal faulting, *J. Geophys. Res.*, **101**, No. B6, pp. 13895 – 13909

Boatwright J., Quin H. (1985) : The seismic radiation from a 3 – D dynamic model of a complex rupture process, *comunicazione personale presso il V Ewing Symposium on Earthquake Source Mechanics*, Harriman, New York, 20 – 24 maggio 1985

Bibliografia generale

- Bonnet E., Bour O., Odling N. E., Davy P., Main I., Cowie P., Berkowitz B. (2001) : Scaling of fracture systems in geological media, *Rev. Geophys.*, **39**, No. 3, pp. 347 – 383
- Boschi E. (1973) : A thermoviscoelastic model of the earthquake source mechanism, *J. Geophys. Res.*, **78**, No. 32, pp. 7733 – 7737
- Boschi E. (a cura di), (1991) : Il rischio sismico, *Quaderni de Le Scienze*, **59**
- Boschi E., Dragoni M. (a cura di), (1987) : Aree sismogenetiche e rischio sismico in Italia, *Editrice Galileo Galilei*, Lausanne, CH
- Boschi E., Dragoni M. (1988) : L' ira di Poseidone. Cos' è un terremoto e come difendersi, *Editrice Galileo Galilei*, Lausanne, CH
- Bouchon M., Sekiguki H., Irikura K., Iwata T. (1998) : Some characteristics of the stress field of the 1995 Hyogo – ken Nanbu (Kobe) earthquake, *J. Geophys. Res.*, **103**, No. B10, pp. 24271 – 24282
- Bouchon M. (1981) : A simple method to calculate Green' s function for layered media, *Bull. Sesim. Soc. Am.*, **71**, pp. 959 – 971
- Bouchon M., Bouin M. – P., Karabulut H., Toksoz N. N., Dietrich M., Rosakis A. J. (2001) : How fast is rupture during an earthquake? New insights from the 1999 Turkey earthquakes, *Geophys. Res. Lett.*, **28**, No. 14, pp. 2723 – 2726
- Bouchon M., Karabulut H. (2008) : The aftershock signature of supershear earthquakes, *Science*, **320**, doi: 10.1126 / science.1155030
- Bowden F. P., Tabor D. (1950) : The friction and lubrication of solids, Part I, *Clarendon Press*, Oxford

- Bowden F. P., Tabor D. (1964) : The friction and lubrication of solids, Part II, *Clarendon Press*, Oxford
- Brace W. F., Walsh J. B. (1962) : some direct measurements of the surface energy of quartz and orthoclase, *The American Mineralogist*, **47**, pp. 1111 – 1122
- Broberg K. B. (1960) : The propagation of a brittle crack, *Arch. Phys.*, **18**, pp. 159 – 192
- Broberh K. B. (1999) : Cracks and fracture, *Academic Press*, San Diego, London, Boston, New York, Tokyo, Toronto, 752 pp.
- Brochard – Wyart F., de Gennes P. – G. (2007) : Naive model for stick – slip processes, *Eur. Phys. J., E*, **23**, pp. 439 – 444
- Brodie K. H., Rutter E. H. (2000) : Deformation mechanisms and rheology: why marble is weaker than quartzite, *J. Geol. Soc. London*, **157**, pp. 1093 – 1096
- Brodsky E. E., H. Kanamori (2001) : Elastohydrodynamic lubrication of faults, *J. Geophys. Res.*, **106**, No. B8, pp. 16357 – 16374
- Brodsky E. E., Prejan S. G. (2005) : New constraints on mechanisms of remotely triggered seismicity at Long Valley Caldera, *J. Geophys. Res.*, **110**, B04302, doi: 10.1029/2004JB003211
- Brodsky E. E., Karakostas V., Kanamori H. (2000) : A new observation of dynamically triggered regional seismicity: Earthquakes in Greece following the August 1999 Izmit, Turkey earthquake, *Geophys. Res. Lett.*, **27**, pp. 2741 – 2744

- Brune J. N. (1970) : Tectonic stress and the spectra of seismic shear waves from earthquakes, *J. Geophys. Res.*, **75**, No. 26, pp. 4997 – 5009
- Brune J. N., Henyey T. L., Roy R. F. (1969) : Heat flow, stress, and rate of slip along the San Andreas fault, California, *J. Geophys. Res.*, **74**, No. 15, pp. 3821 – 3827
- Budiansky B., Rice J. R. (1979) : An integral equation for dynamic elastic response of an isolated 3 – D crack, *Wave Motion*, **1**, pp. 187 – 192
- Burridge R. (1969) : The numerical solution of certain integral equations with non integrable kernels arising in the theory of crack propagation and elastic wave diffraction, *Phil. Trans. Roy. Soc. London*, **A265**, pp. 353 – 381
- Burridge R. (1973) : Admissible speeds for plane – strain self – similar shear cracks with friction but lacking cohesion, *Geophys. J. Roy. Astr. Soc.*, **35**, pp. 439 – 455
- Burridge R., Knopoff L. (1967) : Model and theoretical seismicity, *Bull. Seism. Soc. Am.*, **57**, pp. 341 – 371
- Burridge R., Levy C. (1974) : Self – similar circular shear cracks lacking cohesion, *Bull. Seism. Soc. Am.*, **64**, No. 6, pp. 1789 – 1808
- Burridge R., Moon R. (1981) : Slipping on a frictional fault plane in three dimensions: a numerical simulation of a scalar analog, *Geophys. J. Roy. Astr. Soc.*, **67**, pp. 325 – 342
- Burridge R., Willis J. R. (1969) : The self – similar problem of the expanding elliptical crack in an anisotropic solid, *Proc. Camb. Phil. Soc.*, **66**, pp. 443 – 468

Byerlee J. (1990) : Friction, overpressure and fault normal compression, *Geophys. Res. Lett.*, **17**, pp. 2109 – 2112

Byerlee J. (1993) : Model for episodic flow of high – pressure water in fault zones before earthquakes, *Geology*, **21**, pp. 303 – 306

C

- Campillo M., Favreau P., Ionescu I. R., Voisin C. (2000) : Vers une loi de frottement effective, *J. Geophys. Res.*, , pp.
- Campillo M., Ionescu I. R. (1997) : Initiation of antiplane shear instability under slip dependent friction, *J. Geophys. Res.*, **102**, No. B9, pp. 20363 – 20371
- Caputo M. (1977) : A mechanical model for the statistics of earthquakes, magnitude, moment, and fault distribution, *Bull Seism. Soc. Am.*, **67**, No. 3, pp. 849 – 861
- Cardwell R. K., Chinn D. S., Moore G. F., Turcotte D. L. (1978) : Frictional heating on a fault zone with finite thickness, *Geophys J. Roy. Astr. Soc.*, **52**, pp. 525 – 530
- Carlson J. M., Langer J. S. (1989) : Mechanical model of an earthquake fault, *Phys. Rev. A Gen. Phys.*, **40**, pp. 6470 – 6484
- Carslaw H. S., J. C. Jaeger (1959) : Conduction of heat in solids, *Oxford Univ. Press*, New York, 510 pp.
- Carminati E., Siletto G. B. (2005) : The Central Southern Alps (N. Italy) paleoseismic zone: a comparison between field observations and predictions of fault mechanics, *Tectonophys.*, **401**, pp. 179 – 197
- Carpinteri A., Paggi M. (2008) : Size – scale effects on strength, friction and fracture energy of faults: a unified interpretation according to fractal geometry, *Rock. Mech. Rock Engng.* , **41**, No. 5, pp. 735 – 746, doi: 10.1007 / s00603–007–0148–5

- Castellaro S., Mulargia F. (2003) : Implementing cellular automata models for earthquakes on parallel computer, *Geophys. Res. Lett.*, **30**, No. 5. 1024, doi: 10.1028 / 2002GL016488, pp. 8-1 – 8-4
- Catalli F., Cocco M., Console R., Chiaraluce L. (2008) : Modeling seismicity rate changes during the 1997 Umbria – Marche sequence (central Italy) through a rate – and state – dependent model, *J. Geophys. Res.*, **113**, B11301, doi: 10.1029/2007005356
- Chambon G., Schmittbuhl J., Corfdir A. (2002) : Laboratory gouge friction: seismic – like slip – weakening and secondary rate – and state – effects, *Geophys. Res. Lett.*, **29**, No. 10, 10.1029 / 2001GL014467, pp. 4-1 – 4-4
- Chambon G., Schmittbuhl J., Corfdir A. (2006a) : Frictional response of a thick gouge sample: 1. Mechanical measurements and microstructures, *J. Geophys. Res.*, **111**, B09308, doi. 10.1029 / 2003JB002731
- Chambon G., Schmittbuhl J., Corfdir A. (2006b) : Frictional response of a thick gouge sample: 2. Friction law and implications for faults, *J. Geophys. Res.*, **111**, B09309, doi. 10.1029 / 2004JB003339
- Chen G., Marone C. (1995) : Dynamic rupture growth and rupture barriers on faults with rate – and state – dependent friction (abstract), *comunicazione personale presso l' AGU Fall meeting 1995*
- Chester F. M. (1994) : Effects of temperature on friction: constitutive equations and experiments with quartz gouge, *J. Geophys. Res.*, **99**, No. B4, pp. 7247 – 7261
- Chester F. M. (1995) : A rheologic model for wet crust applied to strike – slip faults, *J. Geophys. Res.*, **100**, No. B7, pp. 13033 – 13044

Bibliografia generale

- Chester F. M., Chester J. S. (1998) : Ultracataclasite structure and friction processes of the Punchbowl fault, San Andreas system, California, *Tectonophys.*, **295**, pp. 199 – 221
- Chester F. M., Evans J. P., Biegel R. L. (1993) : Internal structure and weakening mechanisms of the San Andreas fault, *J. Geophys. Res.*, **98**, No. B1, pp. 771 – 786
- Chester J. S., Chester F. M., Kronenberg A. K. (2005) : Fracture surface energy of the Punchbowl fault, San Andreas system, *Nature*, **437**, pp. 133 – 136
- Chester J. S., Goldsby D. L. (2003) : Microscale characterization of natural and experimental slip surfaces relevant to earthquake mechanics, *2003 SCEC Annual Report*
- Chiodini G., Cardellini C., Amato A., Boschi E., Caliro S., Frondini F., Ventura G. (2004) : Carbon diorite Earth degassing and seismogenesis in central and southern Italy, *Geophys. Res. Lett.*, **31**, L07615, doi: 10.1029 / 2004GL019480
- Clayton R., B. Engquist (1977) : Absorbing boundary conditions for acoustic anelastic wave equations, *Bull. Seism. Soc. Am.*, **67**, pp. 1529 – 1540
- Cocco M., Bizzarri A. (2000a) : Il comportamento di tipo slip – weakening nelle leggi di attrito dipendenti dalla velocità e dallo stato, *Riassunti Estesi delle Comunicazioni del XIX Convegno Nazionale del Gruppo Nazionale di Geofisica della Terra Solida (GNGTS)*, Roma , pp. 216 – 217
- Cocco M., Bizzarri A. (2000b) : On the slip weakening behavior in rate – and state – dependent constitutive laws, *Extended Abstracts on line of II ACES (APEC Cooperation for Earthquake Simulation) Workshop, Tokyo and Hakone (Giappone)*, http://www.tokyo.rist.or.jp/aces_ws2

- Cocco M., Bizzarri A. (2000c) : On the slip – weakening behavior in rate – and state – dependent constitutive laws, *Proceedings of Fall Meeting of the American Geophysical Union (AGU) , San Francisco (U. S. A.) , Eos. Trans. AGU, 81 (48), Fall Meet. Suppl., Abstract T22D-05*
- Cocco M., Bizzarri A. (2001) : On the slip – weakening behavior during dynamic rupture obeying to different constitutive laws, *Abstracts of the XXVI General Assembly of the European Geophysical Society (EGS) , Nice (Francia), 3 (CD – ROM)*
- Cocco M., Bizzarri A. (2002a) : Traction behavior within the cohesive zone during a dynamic crack propagation: absorbed fracture energy and fault constitutive properties, *Abstracts of the International Workshop on Physics of active faults, Tsukuba (Giappone) , p. 32 (anche in http://www.bosai.go.jp/fault_sw)*
- Cocco M., Bizzarri A. (2002b) : On the slip – weakening behavior of rate – and state – dependent constitutive laws, *Geophys. Res. Lett., 29, No. 11, pp. 11-1 – 11-4*
- Cocco M., Bizzarri A., Boschi E. (1998) : Verifica della stabilità di soluzioni dell' equazione fondamentale dell' elastodinamica: applicazione allo studio di fratture 2 – D con differenti leggi costitutive, *Riassunti Estesi delle Comunicazioni del XVII Convegno Nazionale del Gruppo Nazionale di Geofisica della Terra Solida (GNGTS) , Roma, pp. 156 – 157*
- Cocco M., Bizzarri A., Tinti E. (2002) : Fault constitutive properties and earthquake interactions, *Proceedings of the XXII Course of International School of Geophysics (“ ERMES – Earthquake mechanics, Earth structure and related problems “)*

Bibliografia generale

- Cocco M., Bizzarri A., Tinti E. (2004) : Physical interpretation of the breakdown process using a rate – and state – dependent friction law, *Tectonophys. “Physics of Active Faults “*, **378**, pp. 241 – 262
- Cocco M., Rice J. R. (2002) : Pore pressure and poroelasticity effects in Coulomb stress analysis of earthquake interactions, *J. Geophys. Res.*, **107**, No. 0, 10.1029/ 2000JB000138, pp. X – 1-17
- Cochard A., Madariaga R. (1994) : Dynamic faulting under rate – dependent friction, *Pure Appl. Geophys.*, **142**, No. 3/4, pp. 419 – 445
- Cochard A., Madariaga R. (1996) : Complexity of seismicity due to highly rate dependent friction, *J. Geophys. Res.*, **101**, No. B11, pp. 25321 – 25336
- Cochard A., Rice J. R. (1997) : A spectral method for numerical elastodynamic fracture analysis without spatial replication of the rupture event, *J. Mech. Phys. Solids*, **45**, pp. 1393 – 1418
- Cochard A., Rice J. R. (2000) : Fault rupture between dissimilar materials: ill – posedness, regularization, and slip – pulse response, *J. Geophys. Res.*, **105**, No. B11, pp. 25891 – 25907
- Coker D., Lykotrafitis G., Needleman A., Rosakis A. J. (2005) : Frictional sliding modes along an interface between identical elastic plates subject to shear impact loading, *J. Mechanics and Physics of solids*, **53**, pp. 884 – 922
- Coker D., Rosakis A. J. (2001) : Experimental observations of intersonic crack growth in asymmetrically loaded unidirectional composite plates, *Philosophical Mag. A*, **81**, No. 3, pp. 571 – 595
- Cotton F., Campillo M. (1994) : Application of seismogram synthesis to the study of earthquake source from strong motion records, *Ann. Geophys.*, **XXXVII**, No. 6, pp. 1539 – 1564

Cotton F., Campillo M. (1995) : Frequency domain inversion of strong motions: application to the 1992 Landers earthquake, *J. Geophys. Res.*, **100**, No. B3, pp. 3961 – 3975

D

- Dahlen F. A. (1974) : On the ratio of P – wave to S – wave corner frequencies for shallow earthquake sources, *Bull. Seism. Soc. Am.*, **64**, No. 4, pp. 1159 – 1180.
- Dahlen F. A. (1977) : The balance of energy in earthquake faulting, *Geophys. J. Roy. Astr. Soc.*, **48**, pp. 239 – 261
- Dal Forno G., Gasperini P., Boschi E. (2005) : Linear or nonlinear rheology in the mantle: a 3D finite–element approach to postglacial rebound modeling, *J. Geodynamics*, **39**, pp. 183 – 195
- Dalguer L. A., Day S. M. (2006) : Comparison of fault representation methods in Finite Difference simulations of dynamic rupture, *Bull. Seism. Soc. Am.*, **96**, No. 5, pp. 1764 – 1778
- Dalguer L. A., Irikura K., Riera J. D. (2003a) : Simulation of tensile crack generation by three–dimensional dynamic shear rupture propagation during an earthquake, *J. Geophys. Res.*, **108**, No. B3, 2144, doi:10.1029 / 2001JB001738.
- Dalguer L. A., Irikura K., Zhang W., Riera J. D. (2002) : Distribution of dynamic and static stress changes during 2000 Tottori (Japan) earthquake: brief interpretation of the earthquake sequences; foreshocks, mainshock and aftershocks. *Geophys. Res. Lett.*, **29**, No. 16: doi: 10.1029/2001GL014333
- Das S. (1976) : A numerical study of rupture propagation and earthquake source mechanism, *Sc. D. Thesis, Massachusetts Institute of Technology, Cambridge*

- Das S. (1980) : A numerical method for determination of source time functions for general three – dimensional rupture propagation, *Geophys. J. Roy. Astr. Soc.*, **62**, pp. 591 – 604
- Das S. (1981) : Three – dimensional spontaneous rupture propagation and implications for the earthquake source mechanism, *Geophys. J. Roy. Astr. Soc.*, **67**, pp. 375 – 393
- Das S. (2007) : The need to study speed, *Science*, **317**, doi: 10.1126 / science.1142143.
- Das S., Aki K. (1977a) : A numerical study of two – dimensional spontaneous rupture propagation, *Geophys. J. Roy. Astr. Soc.*, **50**, pp. 643 – 668
- Das S., Aki K. (1977b) : Fault plane with barriers: a versatile earthquake model, *J. Geophys. Res.*, **82**, No. 36, pp. 5658 – 5670
- Das S., Kostrov B. V. (1983) : Breaking of a single asperity: rupture process and seismic radiation, *J. Geophys. Res.*, **88**, No. B5, pp. 4277 – 4288
- Das S., Kostrov B. V. (1987) : On the numerical boundary integral equation method for three – dimensional dynamic shear crack problems, *J. Appl. Mech.*, **109**, pp. 99 – 104
- Dascalu C., Ionescu I. R., Campillo M. (2000) : Fault finiteness and initiation of dynamic shear instability, *Earth Plan. Sci. Lett.*, **177**, pp. 163 – 176
- Day S. M. (1977) : Finite element analysis of seismic scattering problems, *Ph. D. Thesis*, University of California, San Diego

Bibliografia generale

- Day S. M. (1979) : Three – dimensional finite difference simulation of fault dynamics, *Final Report SSS–R–80–4295, Systems, Science and Software, La Jolla, California*
- Day S. M. (1982a) : Three – dimensional finite difference simulation of fault dynamics: rectangular faults with fixed rupture velocity, *Bull. Seism. Soc. Am.*, **72**, pp. 705 – 727
- Day S. M. (1982b) : Three – dimensional finite difference simulation of spontaneous rupture: the effect of nonuniform prestress, *Bull. Seism. Soc. Am.*, **72**, pp. 1881 – 1902
- Day S. M., Dalguer L. A., Lapusta N., Liu Y. (2005) : Comparison of finite difference and boundary integral solutions to three – dimensional spontaneous rupture, *J. Geophys. Res.*, **110**, B12307, doi: 10.1029 / 2005JB003813
- Delaney, P. T. (1982) : Rapid intrusion of magma into wet rocks: Groundwater flow due to pore pressure increases, *J. Geophys. Res.*, **87**, pp. 7739 – 7756
- Di Toro G., Golsdby D. L., Tullis T. E. (2004) : Friction falls towards zero in quartz rock as slip velocity approaches seismic rates, *Nature*, **427**, pp. 436 – 439
- Di Toro G., Hirose T., Nielsen S., Pennacchioni G., Shimamoto T. (2006a) : Natural and experimental evidence of melt lubrication of faults during earthquake, *Science*, **311**, pp. 647 – 649
- Di Toro G., Hirose T., Nielsen S., Shimamoto T. (2006b) : Relating high – velocity rock – friction experiments to coseismic slip in the presence of melts, in *Radiated Energy and the Physics of Earthquake Faulting*, edited by R. Abercrombie, A. McGarr, H. Kanamori, and G. Di Toro, pp. 121 – 134, AGU, doi: 10.1029 / 170GM13

- Di Toro G., Nielsen S., Pennacchioni G. (2005) : Earthquake rupture dynamics frozen in exhumed ancient faults, *Nature*, **438**, pp. 1009 – 1012
- Di Toro G., Pennacchioni G. (2004) : Superheated friction – induced melts in zoned pseudotachylytes within the Adamello tonalities (Italian Southern Alps), *J. Struct. Geol.*, **26**, pp. 1783 – 1801
- Dieterich J. H. (1972) : Time – dependent friction as a possible mechanism for aftershocks, *J. Geophys. Res.*, **77**, No. 20, pp. 3771 – 3781
- Dieterich J. H. (1978) : Time – dependent friction and the mechanics of stick slip, *Pure Appl. Geophys.*, **116**, pp. 790 – 806
- Dieterich J. H. (1979a) : Modeling of rock friction – 1. Experimental results and constitutive equations, *J. Geophys. Res.*, **84**, No. B5, pp. 2161 – 2168
- Dieterich J. H. (1979b) : Modeling of rock friction – 2. Simulation of preseismic slip, *J. Geophys. Res.*, **84**, No. B5, pp. 2169 – 2175
- Dieterich J. H. (1980) : Experimental and model study of fault constitutive properties, *Solid Earth Geophysics and Geotechnology, Appl. Mech. Div.*, **42**, a cura di S. Nemat – Nasser, *American Society of Mechanical Engineers*, New York, pp.103 – 120, 21 – 29
- Dieterich J. H. (1981) : Constitutive properties of faults with simulated gouge, *Mechanical Behavior of Crustal Rocks, Geophysical Monograph*, **24**, a cura di N. L. Carter, M. Friedman, J. M. Logan e D. W. Stearns, *Am. Geophys. Union*, Washington D. C., pp. 103 – 120
- Dieterich J. H. (1986) : A model for the nucleation of earthquake slip, *Earthquake Source Mechanics, Geophysical Monograph*, **37**, *Maurice Ewing*

- Series*, **6**, a cura di S. Das, J. Boatwright e C. H. Scholz, *Am. Geophys. Union*, Washington D. C., pp. 37 – 47
- Dieterich J. H. (1992) : Earthquake nucleation on faults with rate – and state – dependent strength, *Tectonophysics*, **211**, pp. 115 – 134
- Dieterich J. H. (1994) : A constitutive law for rate of earthquake production and its application to earthquake clustering, *J. Geophys. Res.*, **99**, No. B2, pp. 2601 – 2618
- Dieterich J. H., Cayol V., Okubo P. (2000) : The use oof earthquake rate changes as a stress meter at Kilauea volcano, *Nature*, **408**, pp. 457 – 460
- Dieterich J. H., Conrad G. (1984) : Effect of humidity on time – and velocity – dependent friction in rocks, *J. Geophys. Res.*, **89**, No. B6, pp. 4196 – 4202
- Dieterich J. H., Linker M. F. (1992) : Fault instability under conditions of variable normal stress, *Geophys. Res. Lett.*, **19**, No. 16, pp. 1691 – 1694
- Dieterich J. H., Kilgore B. D. (1994) : Direct observations of frictional contacts: new insights for state – dependent properties, *Pure Appl. Geophys.*, **143**, Ni. 1 – 3, pp. 283 – 302
- Dieterich J. H., Kilgore B. (1996a) : Implications of fault constitutive properties for earthquake prediction, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3787 – 3794, Colloquium paper
- Dieterich J. H., Kilgore B. (1996b) : Imaging surface contacts: power laws contact distributions and contact stresses in quartz, calcite, glass and acrylic plastic, *Tectonophysics*, **256**, pp. 219 – 239

- Doan M. L., Brodsky E. E., Kano Y., Ma K. F. (2006) : In situ measurement of the hydraulic diffusivity of the active Chelungpu Fault, Taiwan, *Geophys. Res. Lett.*, **33**, L16317, doi: 10.1029 / 2006GL026889
- Dunham E. M. (2007) : Conditions governing the occurrence of supershear ruptures under slip – weakening friction, *J. Geophys. Res.*, **112**, B07302, doi: 10.1029 / 2006JB004717
- Dunham E., Archuleta R. J. (2004) : Evidence for a supershear transient during the 2002 Denali fault Earthquake, *Bull. Seism. Soc. Am.*, **94**, No. 6B, pp. S256 – S268
- Dunham E., Archuleta R. J. (2005) : Near – source ground motion from steady state dynamic rupture pulses, *Geophys. Res. Lett.*, **32**, L03302, doi: 10.1029 / 2004GL021793
- Dunham E. M., Bhat H. S. (2008) : Attenuation of radiated ground motion and stresses from three – dimensional supershear ruptures, *J. Geophys. Res.*, **XXX**, XXX, doi: 10.1029 /
- Dunham E., Favreau P., Carlson J. M. (2003) : A supershear transition mechanism for cracks, *Science*, **299**, pp. 1557 – 1559

E

- Ellis S., Stöckhert B. (2004) : Elevated stresses and creep rates beneath the brittle – ductile transition caused by seismic faulting in the upper crust, *J. Geophys. Res.*, **109**, B05407, doi: 10.1029 / 2003JB002744
- Ellsworth W. L., Beroza G. C. (1995) : Seismic evidence for an earthquake nucleation phase, *Science*, **268**, pp. 851 – 855
- Ellsworth W. L., Celebi M., Evans J. R., Jensen E. G., Kayen R., Metz M. C., Nyman D. J., Roddick J. W., Spudich P., Stephens C. D. (2004) : Near – field ground motion of the 2002 Denali Fault, Earthquake recorded at Pump Station 10, *Earthquake Spectra*, **20**, No. 3, pp. 597 – 615
- Elsasser W. M. (1969) : Convection and stress propagation in the upper mantle, in *The Application of Modern Physics to the Earth and Planetary Interiors*, S. K. Runcorn New York: Wiley Interscience, pp. 223 – 246
- Emerman S. H., R. A. Stephen (1983) : Comment on “ Absorbing boundary conditions for acoustic and elastic wave equations ” by R. Clayton and B. Engquist, *Bull. Seism. Soc. Am.*, **73**, pp. 661 – 665
- Enescu B., Mori J. Miyazawa M. (2007) : Quantifying early aftershock activity of the 2004 mid – Niigata Prefecture earthquake (M_w 6.6), *J. Geophys. Res.*, **112**, B04310, doi:10.1029 / 2006JB004629
- Engelder T. (1994) : Deviatoric stressistis: a virus infecting the Erath science community, *EOS*, **75**, No. 18, pp. 209 – 212
- Engelder T., Lacazette A. (1990) : Natural hydraulic fracturing, *International Symposium on Rock Joints, Loen*, pp. 35 – 43

Eshelby J. D. (1956) : The continuum theory of lattice defects, *Solid State Phys.*, **3**, pp. 79 – 144

Eshelby J. D. (1957) : The determination of the elastic field of an ellipsoidal inclusion, and related problems, *Proc. Roy. Soc. London*, **A241**, pp. 376 – 396

Eshelby J. D. (1969) : The elastic field of a crack extending non – uniformly under general antiplane loading, *J. Mech. Phys. Solids*, **17**, pp. 177 – 199

Evans B., Renner J., Hirth G. (2001) : A few remarks on the kinetics of static grain growth in rocks, *Intl. J. Earth Sci.*, **90**, pp. 88 – 103

F

- Falk M. L., Needleman A., Rice J. R. (2001) : A critical evaluation of dynamic fracture simulations using cohesive surfaces, *in corso di stampa presso J. de Physique IV*
- Festa G., Nielsen S. (2003) : PML Absorbing Boundaries, *Bull. Seism. Soc. Am.*, **93**, No. 2, pp. 891 – 903
- Festa G., Villotte J. – P. (2006) : Influence of the rupture initiation on the intersonic transitino: crack – like versus pulse – like modes, *Geophys. Res. Lett.*, **33**, L15320, doi: 10.1029 / 2006GL026378
- Fialko Y. A. (2004) : Temperature fields generated by the elastodynamic propagation of shear cracks in the Earth, *J. Geophys. Res.*, **109**, No. B01303, doi: 10.1029 / 2003JB002497, pp. 1 – 14
- Fialko Y., Khazan Y. (2005) : Fusion by the earthquake fault friction: stick or slip? *J. Geophys. Res.*, **110**, B12407 doi.org/10.1029 / 2005JB003869.
- Fialko Y. A., Rubin A. M. (1997) : Numerical simulation of high – pressure rock tensile fracture experiments: evidence of an increase in fracture energy with pressure?, *J. Geophys. Res.*, **102**, No. B3, pp. 5231 – 5242
- Fialko Y. A., Rubin A. M. (1998) : Thermodynamics of lateral dike propagation: implications for crustal accretion at slow spreading mid – ocean ridges, *J. Geophys. Res.*, **103**, No. B2, pp. 2501 – 2514
- Fletcher J. B., McGarr A. (2006) : Distribution of stress drop, stiffness, and fracture energy over earthquake rupture zones, *J. Geophys. Res.*, **111**, B03312, doi: 10.1029 / 2004JB003396

- Fournier R. O. (1991) : The transition from hydrostatic to greater than hydrostatic fluid pressure in presently active continental hydrothermal systems in crystalline rock, *Geophys. Res. Lett.*, **18**, No. 5, pp. 955 – 958
- Fowler C. M. R. (1990) : The solid earth. An introduction to global geophysics, *Cambridge University Press*, Cambridge
- Frankel A., Clayton R. (1986) : Finite Difference simulations of seismic scattering: implications for the propagation of short – period seismic waves in the crust and models of crustal heterogeneity, *J. Geophys. Res.*, **91**, No. B6, pp. 6465 – 6489
- Freed A. M., Bürgmann R. (2004) : Evidence of power – law flow in the Mojave desert mantle, *Nature*, **430**, pp. 548 – 551
- Friedman M., Handin J., Alani G. (1972) : Fracture – surface energy of rocks, *Int. J. Rock Mech. Min. Sci.*, **9**, pp. 757 – 766
- Friedman, M., Logan J. M., Rigert J. A. (1974) : Glass – indurated quartz gouge in sliding–friction experiments on sandstone, *Bull. Geol. Soc. Am.*, **85**, 937–942
- Freund L. B. (1979) : The mechanics of dynamic shear crack propagation, *J. Geophys. Res.*, **84**, No. B5, pp. 2199 – 2209
- Fukuyama E., Madariaga R. (1995) : Integral equation method for plane crack with arbitrary shape in 3 D elastic medium, *Bull. Seism. Soc. Am.*, **85**, No. 2, pp. 614 – 628
- Fukuyama E., Madariaga R. (1998) : Rupture dynamics of a planar fault in a 3 – D elastic medium: rate – and slip – weakening friction, *Bull. Seism. Soc. Am.*, **88**, No. 1, pp. 1 – 17

G

- Galis M., Moczo P., Kristek J., Kristekova M. (2010) : An adaptive smoothing algorithm in TSN modelling of rupture propagation with linear slip – weakening friction law, *Geophys. J. Int.*, **180**, pp. 418 – 432, doi: 10.1111/j.1365-246X.2009.04427.x
- Gao H., Rice J. R., Lee J. (1991) : Penetration of a quasi – statically slipping crack into a seismogenic zone of heterogeneous fracture resistance, *J. Geophys. Res.*, **96**, No. B13, pp. 21535 – 21548
- Gao J., Luedtke W. D., Gourdon, Ruths M., Israelachvili J. N., Landman U. (2004) : Frictional forces and Amontons’ law: from the molecular to the macroscopic scale, *J. Phys. Chem. B.*, **108**, pp. 3410 – 3425
- Geller R. J., Kanamori H. (1977) : Magnitude of great shallow earthquakes from 1904 to 1952, *Bull. Seism. Soc. Am.*, **67**, pp. 587 – 598
- Gnecco E., Socoliuc A., Meyer E., Baratoff A., Bennewitz R., Dienwiebel M., Frenken J. (2005) : Slippery nanoworld, *Europhysics News*, **36**, No. 1, pp. 6 – 8
- Goldsby D. L., Tullis T. E. (2002) : Low frictional strength of quartz rocks at subseismic slip rates, *Geophys. Res. Lett.*, **29**, No. 17, doi: 10.1029 / 2002GL015240, pp. 25-1 – 15-4
- Gomberg J. (2001) : The failure of earthquake failure models, *J. Geophys. Res.*, **106**, No. B8, pp. 16253 - 16263

- Gomberg J., Beeler N. M., Blanpied M. L., Bodin P. (1998) : Earthquake triggering by transient and static deformations, *J. Geophys. Res.*, **103**, No. B10, pp. 24411 – 24426
- Gomberg J., Beeler N. M., Blanpied M. L. (2000) : On rate – state and Coulomb failure models, *J. Geophys. Res.*, **105**, No. B4, pp. 7857 – 7871
- Gomberg J., Blanpied M. L., Beeler N. M. (1997) : Transient triggering of near and distant earthquakes, *Bull. Seism. Soc. Am.*, **87**, No. 2, pp. 294 – 309
- Gomberg J., Reasenber P. A., Bodin P., Harris R. A. (2001) : Earthquake triggering by seismic waves following the Landers and Hector Mine earthquakes, *Nature*, **411**, pp. 462 - 466
- Gonzato G., Mulargia F., Marzocchi W. (1988) : Practical application of fractal analysis: problems and solutions, *Geophys. J. Int.*, **132**, pp. 275 – 282
- Griffith A. A. (1920) : The phenomena of rupture and flow in solids, *Phil. Trans. Roy. Soc. London*, **A221**, pp. 163 – 198
- Griffith A. A. (1924) : The theory of rupture, *Proc. Inst. Congr. Appl. Mech.*, a cura di C. B. Biezeno e J. M. Burgers, *Delft: Tech. Boekhandel en Drukkerij J. Walter Jr.*, pp. 54 – 63
- Gu J. (1986) : Friction constitutive law with rate and state dependences, *Pure Appl. Geophys.*, **124**, Ni. 4 – 5, pp. 773 –791
- Gu J. C., Rice J. R., Ruina A. L., Tse S. T. (1984) : Slip motion and stability of a single degree of freedom elastic system with rate and state dependent friction, *J. Mech. Phys. Solids*, **32**, No. 3, pp. 167 – 196

Bibliografia generale

- Gu Y., Wong T – f. (1991) : Effects of loading velocity, stiffness, and inertia on the dynamics of a single degree of freedom spring – slider system, *J. Geophys. Res.*, **96**, No. B13, pp. 21677 – 21691
- Guatteri M., Cocco M. (1994) : Studio della meccanica delle faglie sismogenetiche: stato dell' arte e sviluppi futuri, *Rapporto finale contratto I. N. G. – I. S. M. E. S.* (incarico No. 940321)
- Guatteri M., Cocco M. (1996) : On the variation of slip direction during earthquake rupture: supporting and conflicting evidence from the 1989 Loma Prieta earthquake, *Bull. Seism. Soc. Am.*, **86**, No. 6, pp. 1935 – 1951
- Guatteri M., Mai P. M., Beroza G. C., Boatwriht J. (2003) : Strong ground – motion prediction from stochastic – dynamic source models, *Bull. Seism. Soc. Am.*, **93**, No. 1, pp. 301 – 313
- Guatteri M., Spudich P. (1998) : Coseismic temporal changes of slip direction: the effect of absolute stress on dynamic rupture, *Bull. Seism. Soc. Am.*, **88**, No. 3, pp. 777 – 789
- Guatteri M., Spudich P. (2000) : What can strong – motion data tell us about slip – weakening fault – friction laws?, *Bull. Seism. Soc. Am.*, **90**, No. 1, pp. 98 – 116
- Guatteri M., Spudich P., Beroza G. C. (2001) : Inferring rate and state friction parameters from a rupture model of the 1995 Hyogo – ken Nanbu (Kobe) Japan earthquake, *J. Geophys. Res.*, **106**, No. B11, pp. 26511 – 26521
- Guduru P. R., Ravichandran G., Rosakis A. J. (2001) : Observations of transient high temperature vertical microstructures in solids during adiabatic shear banding, *Phys. Rev. E*, **64**, 03618, pp. 1 – 6

H

- Hamano Y. (1975) : Dependence of rupture time history on the heterogeneous distribution of stress and strength on the fault (abstract), *EOS (Trans. Am. Geophys. Union)*, **55**, p. 352
- Hanks T. C., McGuire R. K. (1981) : The character of high – frequency strong ground motion, *Bull. Seism. Soc. Am.*, **71**, No. 6, pp. 2071 – 2095
- Harris R. A. (1998) : Introduction to special section: stress triggers, stress shadows, and implications for seismic hazard, *J. Geophys. Res.*, **103**, No. B10, pp. 24347 – 24358
- Harris R. A., Day S. M. (1993a) : Dynamics of fault interaction: parallel strike – slip faults, *J. Geophys. Res.*, **98**, No. B3, pp. 4461 – 4472
- Harris R. A., Day S. M. (1993b) : Correction to “ Dynamics of fault interaction: parallel strike – slip faults ”, *J. Geophys. Res.*, **98**, No. B4, p. 6665
- Harris R. A., Day S. M. (1997) : Effects of a low – velocity zone on a dynamic rupture, *Bull. Seism. Soc. Am.*, **87**, pp. 1267 – 1280
- Harris R. A., Simpson R. W. (1998) : Suppression of large earthquakes by stress shadows: a comparison of Coulomb and rate – and state – failure, *J. Geophys. Res.*, **103**, No. B10, pp. 24439 – 24451
- Hartzell S., Guatteri M., Mai P. M., Liu P. – C., Fisk M. (2005) : Calculation of broadband time histories of ground motion, Part II: Kinematic and dynamic modeling using theoretical Green’ s functions and comparison with the 1994 Northridge earthquake, *Bull. Seism. Soc. Am.*, **95**, No. 2, pp. 614 – 645

- Hartzell S., Liu P., Mendoza C. (1996) : The 1994 Northridge, California, earthquake: investigations of rupture velocity, risetime, and high – frequency radiation, *J. Geophys. Res.*, **101**, No. B9, pp. 20091 – 20108
- Haskell N. A. (1964) : Total energy and energy spectral density of elastic wave radiation from propagating faults, *Bull. Seism. Soc. Am.*, **54**, pp. 1811 – 1841
- Haskell N. A. (1969) : Elastic displacements in the near – field of a propagating fault, *Bull. Seism. Soc. Am.*, **59**, pp. 865 – 908
- He C., Wong T – f., Beeler N. M. (2003) : Scaling of stress drop with recurrence interval and loading velocity for laboratory – derived fault strength relations, *J. Geophys. Res.*, **108**, No. B1, 2037, doi: 10.1029 / 2002JB001890, pp. ESE 14-1 – 14-13
- Heaton T. H. (1990) : Evidence for and implications of self – healing pulses of slip in earthquake rupture, *Phys. Earth Plan. Int.*, **64**, pp. 1 – 20
- Higdon R. L. (1991) : Absorbing boundary conditions for elastic waves, *Geophysics*, **56**, pp. 231 – 241
- Hillers G., Ben – Zion Y., Mai P. M. (2006) : Seismicity on a fault controlled by rate – and state – dependent friction with spatial variations of the critical slip distance, *J. Geophys. Res.*, **111**, B01403, doi: 10.1029 / 2005JB003859
- Hjaltadottir S., Vogfjord K. S. (2005) : Subsurface fault mapping in Southwest Iceland by relative location of aftershocks of the June 2000 earthquakes, *Report Rit Vedurstofu Icelands*, **21**, VI-ES-01, Reykjavik
- Hirose H., Hirahara K. (2002) : A model for complex slip behavior on a large asperity at subduction zones *Geophys. Res. Lett.*, **29**, No. 22, 2068, doi: 10.1029 / 2002GL015825, pp. ESE 25-1 – 25-4

- Hirose T., Shimamoto T. (2005) : Growth of molten zone as a mechanism of slip weakening of simulated faults in gabbro during frictional melting, *J. Geophys. Res.*, **110**, B05202, doi: 10.1029 / 2004JB003207
- Hirsh J. E. (2005) : An index to quantify an individual' s scientific research output, *ArXiv:physics*, **0508025 v5**
- Horowitz F. G. (1988) : Mixed state variable friction laws: some implication for experiments and stability analysis, *Geophys. Res. Lett.*, **15**, No. 11, pp. 1243 – 1246
- Horowitz F. G., Ruina A. L. (1989) : Slip patterns in a spatially homogeneous fault model, *J. Geophys. Res.*, **94**, No. B8, pp. 10279 – 10298
- Hough S. E. (s. d.) : The aftershocks that weren't, *Natural History*, **3**, 01, pp. 65 - 69
- Huang J., Narkounskaia G., Turcotte D. L. (1992) : A cellular – automata, slider – block model for earthquake – II. Demonstration of self – organized criticality for a 2 – D system, *Geophys. J. Intl.*, **111**, pp. 259 – 269
- Huang J., Turcotte D. L. (1990) : Are earthquakes an example of deterministic chaos ?, *Geophys. Res. Lett.*, **17**, No. 3, pp. 223 – 226
- Hubbert, M. K., Rubey W. W. (1959) : Mechanics of fluid – filled porous solids and its application to overthrust faulting, *Bull. Geol. Soc. Am.*, **70**, pp. 115 – 166
- Hughes T. J. R. (1987) : The finite element method, *Prentice – Hall Inc.*

Bibliografia generale

Husen S., Wiemer S., Smith R. B. (2004) : Remotely triggered seismicity in the Yellowstone National Park region by the 2002 M_w 7.9 Denali fault earthquake, Alaska, *Bull. Seism. Soc. Am.*, **94**, No. B6, pp. S317 – S331

Husseini M. I., Jovanovich D. B., Randall M. J., Freund L. B. (1975) : The fracture energy of earthquakes, *Geophys. J. Roy. Astr. Soc.*, **43**, pp. 367 – 385

I

- Ida Y. (1972) : Cohesive force across the tip of a longitudinal – shear crack and Griffith' s specific surface energy, *J. Geophys. Res.*, **77**, No. 20, pp. 3796 – 3805
- Ide S., Takeo M. (1997) : Determination of constitutive relations of fault slip based on seismic wave analysis, *J. Geophys. Res.*, **102**, No. B12, pp. 27379 – 27391
- Iio Y. (1995) : Observations of slow initial phase generated by microearthquakes: implications for earthquake nucleation and propagation, *J. Geophys. Res.*, **100**, No. B8, pp. 15333 – 15349
- Ionescu I. R., Campillo M. (1999) : Influence of the shape of the friction law and fault finiteness on the duration of initiation, *J. Geophys. Res.*, **104**, No. B2, pp. 3013 – 3024
- Irwin G. R. (1958) : Fracture, *Handbook der Physic*, **VI**, a cura di S. Flugge, *Springer – Verlag*, Berlino, pp. 551 – 590

J

Jaeger J. C., Cook N. G. W. (1969) : Fundamentals of rock mechanics, *Chapman and Hall, John Wiley & Sons*, New York

Jeffreys H. (1942) : On the mechanics of faulting, *Geol. Mag.*, **79**, pp. 291 – 295

Johnson E. (1992) : The influence of the lithospheric thickness on bilateral slip, *Geophys. J. Intl.*, **108**, pp. 151 – 160

Johnson T., Wu T. F., Scholz C. H. (1973) : Source parameters for stick – slip and for earthquakes, *Science*, **179**, pp. 278 – 280

K

- Kanamori H. (1977) : The energy release in great earthquakes, *J. Geophys. Res.*, **82**, No. 20, pp. 2981 – 2987
- Kanamori H. (1981) : The nature of seismicity patterns before large earthquakes, *Earthquake prediction – An International Review, Maurice Ewing Series*, **4**, a cura di D. W. Simson e P. G. Richards, *Am. Geophys. Union*, Washington D. C., pp. 1 – 19
- Kanamori H. (2004) : The diversity of the physics of earthquakes, *Proc. Jap. Acad., Serv. B*, **80**, pp. 297 – 316
- Kanamori H., Brodsky E. E. (2001) : The physics of earthquakes, *Physics Today*, **54**, pp. 34 – 39
- Kanamori H., Heaton T. H. (2000) : Microscopic and macroscopic physics of earthquakes, *GeoComplexity and the Physics of Earthquakes – Geophysical Monograph*, Edito da J. Rundle, D. L. Turcotte and W. Klein, Washington D. C. **120**, pp. 147 – 163
- Kanamori H., Rivera L. (2006) : Energy partitioning during an earthquake in *Earthquakes: Radiated Energy and the Physics of Faulting*, Geophysical Monograph Series, vol. 170, American Geophysical Union, doi: 10.1029/170GM24, pp. 3 – 14
- Karner S. L., Chester F. M., Chester J. S. (2005) : Towards a general state – variable constitutive relation to describe granular deformation, *Earth Plan. Sci. Lett.*, **237**, pp. 940 – 950

Bibliografia generale

- Karner S. L., Marone C. (1998) : The effect of shear load on frictional healing in simulated fault gouge, *Geophys. Res. Lett.*, **25**, No. 24, pp. 4561 – 4564
- Karner S. L., Marone, C., Evans B. (1997) : Laboratory study of fault healing and lithification in simulated fault gouge under hydrothermal conditions, *Tectonophys.*, **277**, pp. 41 – 55
- Kase Y., Kuge K. (1998) : Numerical simulation of spontaneous rupture processes on two non – coplanar faults: the effect of geometry on fault interaction, *Geophys. J. Intl.*, **135**, pp. 911 – 922
- Kato N., Tullis T. E. (2003) : Numerical simulation of seismic cycles with a composite rate – and state – dependent friction law, *Bull. Seism. Soc. Am.*, **93**, No. 2, pp. 841 – 853
- Khazan Y. M., Fialko Y. A. (1995) : Fracture criteria at the tip of fluid – driven cracks in the earth, *J. Geophys. Res.*, **22**, No. 18, pp. 2541 – 2544
- Kilb D., Gombert J., Bodin P. (2000) : Triggering of earthquake aftershocks by dynamic stresses, *Nature*, **408**, pp. 570 – 574
- Kilgore B. D., Blanpied M. L., Dieterich J. H. (1993) : Velocity dependent friction of granite over a wide range of conditions, *Geophys. Res. Lett.*, **20**, No. 10, pp. 903 – 906
- King G. C. P., Stein R. S., Lin J. (1994) : Static stress changes and the triggering of earthquakes, *Bull. Seism. Soc. Am.*, **84**, No. 3, pp. 935 – 953
- Kirkpatrick J. D., Shipton Z. K., Persano C. (2009) : Pseudotachylytes: rarely generated, rarely preserved, or rarely reported?, *Bull. Seism. Soc. Am.*, **99**, No. 1, pp. 382 – 388, doi: 10.1785 / 0120080144
- Kitagawa Y., Fujimori K., Koizumi N. (2002) : Temporal change in

- permeability of the rock estimated from repeated water injection experiments near the Nojima fault in Awaji Island, Japan, *Geophys. Res. Lett.*, **29**, No. 10, doi: 10.1029 / 2001GL014030, pp. 121-1 – 121-4
- Knopoff L. (1958) : Energy release in earthquakes, *Geophys. J. Roy. Astr. Soc.*, **1**, pp. 44 – 52
- Koener A., Kissling E., Milles S. A. (2004) : A model of deep crustal fluid flow following the $M_w = 8.0$ Antofagasta, Chile, earthquake, *J. Geophys. Res.*, **109**, B06307, doi: 10.1029/2003JB002816
- Kosloff D. D., Liu H. – P. (1980) : Reformulation and discussion of mechanical behavior of the velocity – dependent friction law proposed by Dieterich, *Geophys. Res. Lett.*, **7**, No. 11, pp. 913 – 916
- Kostrov B. V. (1964) : Self – similar problems of propagation of shear cracks, *J. Appl. Math. Mech.*, **28**, pp. 1077 – 1087
- Kostrov B. V. (1966) : Unsteady propagation of longitudinal shear cracks, *J. Appl. Math. Mech.*, **30**, pp. 1241 – 1248
- Kostrov B. V. (1970) : The theory of the focus for tectonic earthquakes, (translated to English by G. G. Fry), *Izv. Earth Physics*, **4**, pp. 84 – 101
- Kostrov B. V. (1974) : Seismic moment and energy of earthquakes, and seismic flow of rock (translated to English by F. Goodspeed), *Izv. Earth Physics*, **1**, pp. 23 – 40
- Kostrov B. V., Das S. (1982) : Idealized models of fault behavior prior to dynamic rupture, *Bull. Seism. Soc. Am.*, **72**, No. 3, pp. 679 – 703

Bibliografia generale

Kostrov B. V., Das S. (1988) : Principles of earthquake source mechanics, *Cambridge Monographs on Mechanics and Applied Mathematics*, Cambridge University Press

Kristek J., Moczo P., Archuleta R. J. (2002) : Efficient methods to simulate planar free surface in the 3D 4th – order staggered – grid Finite – Difference schemes, *Stud. Geophys. Geod.*, **46**, pp. 355 – 381

Kristeková M., Kristek J., Moczo P., Day S. M. (2006) : Misfit criteria for quantitative comparison of seismograms, *Bull. Seism. Soc. Am.*, **96**, No. 5, pp. 1836 – 1850

L

- Lachenbruch A. H. (1980) : Frictional heating, fluid pressure, and the resistance fo fault motion, *J. Geophys. Res.*, **85**, No. B11, pp. 6097 – 6122
- Lachenbruch A. L., Sass J. H. (1980) : Heat flow and energetics of the San Andreas fault zone, *J. Geophys. Res.*, **85**, No. B11, pp. 6185 – 6222
- Lachenbruch A. L., Sass J. H. (1992) : Heat flow from Cajon Pass, fault strength, and tectonic implications, *J. Geophys. Res.*, **97**, No. B4, pp. 4995 – 5015
- Landau L., Lifchitz E. (1967) : Théorie de l' élasticité, *Editions Mir*
- Lapusta N., Rice J. R. (2003) : Nucleation and early seismic propagation of small and large events in a crustal earthquake model, *J. Geophys. Res.*, **108**, No. B4, 2205, doi: 10.1029 / 2002JB000793, pp. ESE 8-1 – 8-
- Langer J. S., Carlson J. M., Myers C. R., Shaw B. E. (1996) : Slip complexity in dynamic models of earthquake faults, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3825 – 3829, Colloquium paper
- Lapusta N., Rice J. R., Ben – Zion Y., Zheng G. (2000) : Elastodynamic analysis for slow tectonic loading with spontaneous rupture episodes on faults with rate – and state – dependent friction, *J. Geophys. Res.*, **105**, No. B10, pp.23765 – 23789
- Lavallée D., Liu P., Archuleta R. J. (2006) : Stochastic model of heterogeneity in earthquake slip spatial distributions, *Geophys. J. Int.*, **165**, pp. 622 – 640 doi: 10.1111 / j.1365-246X.2006.02943.x

- Lay T., Kanamori H. (1981) : An asperity model of large earthquake sequences, *Earthquake prediction – An International Review, Maurice Ewing Series, 4*, a cura di D. W. Simson e P. G. Richards, *Am. Geophys. Union*, Washington D. C., pp. 579 – 592
- Lee T.-C, Delaney P. (1987) : Frictional heating and pore pressure rise due to fault slip, *Geophys. J. Roy. Astr. Soc.*, **88**, pp. 569 – 591
- Li V. C. (1978) : Mechanics of shear rupture applied to earthquake zones, in *Fracture Mechanics of Rocks, Academic Press, London*
- Li Y. G., Vidale J., Aki K., Marone C., Lee W. K. (1994) : Fine structure of the Landers fault zone: segmentation and the rupture process, *Science*, **265**, pp. 367 – 380
- Lin A., Maruyama T., Aaron S., Michibayashi K., Camacho A., Kano K. – i. (2005) : Propagation of seismic slip from brittle to ductile crust: evidence from pseudotaclyte of the Woodroffe thrust, central Australia, *Tectonophys.*, **402**, pp. 21 – 35
- Linde A. T., Sacks I. S., Johnston M. J. S., Hill D. P., Bilham R. G. (1994) : Increased pressure from rising bubbles as a mechanism for remotely triggered seismicity, *Nature*, **371**, pp. 408 - 410
- Linker M. F., Dieterich J. H. (1992) : Effects of variable normal stress on rock friction: observations and constitutive equations, *J. Geophys. Res.*, **97**, No. B4, pp. 4923 – 4940
- Liu P., Custodio S., Archuleta R. J. (2006) : Kinematic inversion of the 2004 M 6.0 Parkfield earthquake including and approximation of the site effects, *Bull. Seism. Soc. Am.*, **96**, No. 4B, pp. 143 – 158

- Liu, Y., Lapusta N. (2008) : Transition of mode II cracks from sub – Rayleigh to intersonic speeds in the presence of favorable heterogeneities, *J. Mech. Phys. Solids*, **56**, pp. 25–50
- Lockner D., Byerlee J. (1995) : An earthquake instability model based on fault containing high fluid – pressure compartments, *Pure Appl. Geophys.*, **145**, pp. 717 – 745
- Lockner D. A., Beeler N. M. (1999) : Premonitory slip and tidal triggering of earthquakes, *J. Geophys. Res.*, **104**, No. B9, pp. 20133 – 20151
- Lockner D., Summers R., Byerlee J. (1986) : Effects of temperature and sliding rate of frictional strength of granite, *Pure Appl. Geophys.*, **124**, pp. 445 – 469.
- Lockner D., Naka H., Tanaka H., Ito H., Ikeda R. (1999) : Permeability and strength of the Nojima core samples from the Nojima fault of the 1995 Kobe earthquake, in *Proceedings of the International Workshop on the Nojima Fault Core and Borehole Data Analysis. Preliminary Report*, a cura di H. Ito, K. Fujimoto, H. Tanaka e D. Lockner, pp. 147 – 152
- Lowrie W. (1997) : *Fundamentals of Geophysics*, Cambridge University Press, Cambridge
- Lyzenga G. A., Raefsky A., Mulligan S. G. (1991) : Models of recurrent strike – slip earthquake cycles and the state of crustal stress, *J. Geophys. Res.*, **96**, No. B13, pp. 21623 – 21640

M

- Ma K. – F., Mori J., Lee S. – J., Yu S. B. (2001) : Spatial and temporal distribution of slip for the 1999 Chi – Chi, Taiwan, earthquake, *Bull. Seism. Soc. Am.*, **91**, pp. 1069 – 1087
- Ma K. – F., Brodsky E. E., Mori J., Ji C., Song T. – R. A., Kanamori H. (2003) : Evidence for fault lubrication during the 1999 Chi – Chi, Taiwan, earthquake (Mw 7.6), *G. Res. Lett.*, **30**, No. 5, 1244, doi: 10.1029 / 2002GL015380, pp. 48-1 – 48-4
- Madariaga R. (1976) : Dynamics of an expanding circular fault, *Bull. Seism. Soc. Am.*, **66**, pp. 639 – 666
- Madariaga R. (1979) : On the relation between seismic moment and stress drop in the presence of stress and strength heterogeneity, *J. Geophys. Res.*, **84**, No. B5, pp. 2243 – 2250
- Madariaga R. (1982) : Earthquake source theory: a review, *Rendiconti della S. I. F.*, **LXXXV**, pp. 1 – 44
- Madariaga R. (1983) : High frequency radiation from dynamics earthquake fault models, *Ann. Geophys.*, **1**, No. 17, pp. 17 – 23
- Madariaga R. (2000) : Criticality of Rupture Dynamics in 3 – D, *Pure App. Geophys.*, **157**, pp. 1981 – 2001
- Madariaga R., Ampuero J. P., Adda – Bedia M. (2006) : Seismic radiation from simple earthquake models, *Earthquakes: radiated energy and the physics of faulting*, *Geophys. Monograph Series*. **170**, pp. 223 – 236

- Madariaga R., Olsen K. B. (2000) : Criticality of rupture in 3 – D, *Pure Appl. Geophys.*, **157**, pp. 1981 – 2001
- Madariaga R., Peyrat S., Olsen K. B. (2001) : Rupture dynamics in 3D: a review, in *Problem in Geophysics for the new millennium*, edito da E. Boschi, G. Ekström ed A. Morelli, *Editrice Compositori, Bologna, Italy*.
- Madariaga R., Cochard A. (1994) : Seismic source dynamics, heterogeneity and friction, *Ann. Geof.*, **37**, No. 6, pp. 1349 – 1375
- Madariaga R., Cochard A. (1996) : Dynamic friction and the origin of the complexity of earthquake sources, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3819 – 3824, Colloquium paper
- Madariaga R., Olsen K. B. (2002) : Earthquake dynamics, *International Handbook of Earthquake and Engineering Seismology*, **81A**
- Madariaga R., Olsen K., Archuleta R. (1998) : Modeling dynamic rupture in a 3 D earthquake fault model, *Bull. Seism. Soc. Am.*, **88**, No. 5, pp. 1182 – 1197
- Mai P. M., Beroza G. C. (2002) : A spatial random field model to characterize complexity in earthquake slip, *J. Geophys. Res.*, **107**, No. B11, 2308, doi: 10.1029 / 2001JB000588, pp. ESE 10-1 – 10-21
- Mai P. M., Somerville P., Pitarka A., Dalguer L., Song S., Beroza G., Miyake H., Irikura K. (2006) : On scaling of fracture energy and stress drop in dynamic rupture models. Consequences for near – source ground – motions, in: *Earthquakes: Radiated Energy and the Physics of Faulting*, Geophysical Monograph Series, **170**, American Geophysical Union, doi: 10.1029/170GM24, pp. 283 – 293
- Mair K., Frye K. M., Marone C. (2002) : Influence of grain characteristic on

- the friction of granular shear zones, *J. Geophys. Res.*, **107**, No. B10, 2219, doi: 10.1029 / 2001JB000516, pp. ECV 4-1 – 4-9
- Mair K., Marone C. (1999) : Friction of simulated fault gauge for a wide range of slip velocities and normal stresses, *J. Geophys. Res.*, **104**, No. B12, pp. 28899 – 28914
- Mair K., Marone C. (2000) : Shear heating in granular layers, *Pure Appl. Geophys.*, **157**, pp. 1847 – 1866
- Mandelbrot B. B. (1983) : The fractal geometry of nature, *W. H. Freeman and Company*, New York
- Manning C. E. Ingebritsen S. E. (1999) : Permeability of the continental crust: implications of geothermal data and metamorphic systems, *Rev. Geophys.*, **37**, pp. 127 – 150
- Marone C. (1995) : Fault zone strength and failure criteria, *Geophys. Res. Lett.*, **22**, No. 6, pp. 723 – 726
- Marone C. (1998a) : The effect of loading rate on static friction and the rate of fault healing during the earthquake cycle, *Nature*, **391**, pp. 69 –72
- Marone C. (1998b) : Laboratory – derived friction laws and their application to seismic faulting, *Annual Rev. Earth Planet. Sci.*, **26**, pp. 643 – 696
- Marone C., Kilgore B. (1993) : Scaling of the critical slip distance for seismic faulting with shear strain in fault zones , *Nature*, **362**, pp. 618 – 621
- Marone C., Raleigh C. B., Scholz C. H. (1990) : Frictional behavior and constitutive modeling of simulated fault gouge, *J. Geophys. Res.*, **95**, No. B5, pp. 7007 – 7025

- Marone C., Liu M. (1997) : Transformation shear instability and the seismicogenic zone for deep earthquakes, *Geophys. Res. Lett.*, **24**, No. 15, pp. 1887 – 1890
- Marone C., Scholz C. H. (1988) : The depth of seismic faulting and the upper transition from stable to unstable slip regimes, *Geophys. Res. Lett.*, **15**, pp. 621 – 624
- Marone C., Scholz C. H., Bilham R. (1991) : On the mechanics of earthquake afterslip, *J. Geophys. Res.*, **96**, No. B5, pp. 8441 – 8452
- Marone C., Vidale J. E., Ellsworth W. L. (1995) : Fault healing inferred from time dependent variations in source properties of repeating earthquakes, *Geophys. Res. Lett.*, **22**, No. 22, pp. 3095 – 3098
- Marzocchi W., Selva J., Piersanti A., Boschi E. (2003) : On the long – term interaction among earthquakes: some insight from a model simulation, *J. Geophys. Res.*, **108**, No. B11, 2538, doi: 10.1029 / 2003JB002390, pp. ESE 10-1 – 10-13
- Mase C. W., Smith L. (1987) : Effects of frictional heating on the thermal, hydrologic, and mechanical response of a fault, *J. Geophys. Res.*, **92**, No. B7, pp. 6249 – 6272
- Matsu'ura M., Kataoka H., Shibazaki B. (1992) : Slip – dependent friction law and nucleation processes in earthquake rupture, *Tectonophysics*, **211**, pp. 135 – 148
- McCloskey J., Nalbant S. S., Steacy S. (2005) : Earthquake risk from co – seismic stress, *Nature*, **434**, p. 291

- McGarr A., Fletcher J. B., Beeler N. M. (2004) : Attempting to bridge the gap between laboratory and seismic estimates of fracture energy, *Geophys. Res. Lett.*, **31**, L14606, doi:10.1029/2004GL020091
- McKenzie D., Brune J. N. (1972) : Melting on fault planes during large earthquakes, *Geophys. J. Roy. Astr. Soc.*, **29**, pp. 65 – 78
- Mehl C., Jolivet J., Lacombe O. (2005) : From ductile to brittle: evolution and localization of deformation below a crustal detachment (Tinos, Cyclades, Greece), *Tectonics*, **24**, TC4017, doi: 10.1029 / 2004TC001767
- Melosh H. J. (1979) : Acoustic fluidization: A new geologic process?, *Geophys. Res.*, **84**, No. B13, pp. 7513 – 7520
- Melosh H. J. (1996) : Dynamical weakening of faults by acoustic fluidization, *Nature*, **397**, pp. 601 – 606
- Mikumo T. (1992) : Dynamic fault rupture and stress recovery processes in continental crust under depth – dependent shear strength and frictional parameters, *Tectonophysics*, **211**, pp. 201 – 222
- Mikumo T., Miyatake T. (1978) : Dynamical rupture process on a three – dimensional fault with non – uniform frictions and near – field seismic waves, *Geophys. J. Roy. Astr. Soc.*, **54**, pp. 417 – 438
- Mikumo T., Olsen K. B., Fukuyama E., Yagi Y. (2003) : Stress – breakdown time and slip – weakening distance inferred from slip – velocity functions on earthquake faults, *Bull. Seism. Soc. Am.*, **93**, No. 1, pp. 264 – 282
- Mikumo T., Yagi Y. (2003) : Slip – weakening distance in dynamic rupture of in – slab normal – faulting earthquakes, *Geophys. J. Int.*, **155**, pp. 443 – 455

- Miller S. A. (2002) : Properties of large ruptures and the dynamical influence of fluids on earthquakes and faulting, *J. Geophys. Res.*, **107**, No. B9, 2182, doi: 10.1029 / 2002JB000032, pp. ESE 3-1 – 3-13
- Miller S. A., Collettini C., Chiaraluce L., Cocco M., Barchi M., Kaus B. J. P. (2004) : Aftershocks driver by high–pressure CO₂ source at depth, *Nature*, **427**, pp. 724 – 727
- Miller S. A., Nur A., Olgaard D. L. (1996) : Earthquakes as a coupled shear stress – high pore pressure dynamical system, *Geophys. Res. Lett.*, **23**, pp. 197 – 200
- Miyatake T. (1992) : Numerical simulation of three – dimensional faulting processes with heterogeneous rate and state dependent friction, *Tectonophysics*, **221**, pp. 223 – 232
- Mizoguchi K., Hirose T., Shimamoto T. (2000) : Permeability structure of Nojima fault: analysis of Funaki outcrop in Hohundan, Tsuna – gun, Hyogo Prefecture (in Giapponese), *Earth Montly – Extra*, **31**, pp. 58 – 65
- Mizoguchi K., Hirose T., Shimamoto T., Fukuyama E. (2009) : Fault heals rapidly after dynamic weakening, *Bull. Seism. Soc. Am.*, **99**, No. 6, pp. 3470–3473, doi: 10.1785 / 0120080325
- Montelli R. (1995) : La meccanica di una faglia sismogenetica: leggi di attrito e dinamica dei processi di fagliazione, *Tesi di Laurea in Fisica presso l' Università degli Studi di Bologna*
- Moczo P. (1998) : Introduction to modelling seismic wave propagation by Finite – Difference method – Lecture Notes, *Kyoto Univ.*

Moczo P., J. Kristek, L. Halada (2000) : 3D fourth – order staggered – grid Finite – Difference schemes: stability and grid dispersion, *Bull. Seism. Soc. Am.*, **90**, No. 3, pp. 587 – 603

Moczo P., J. Kristek, V. Vavrycuk, R. J. Archuleta, L. Halada (2002) : 3D heterogeneous staggered – grid Finite – Difference modelling of seismic motion with volume harmonic and arithmetic averaging of elastic moduli and densities, *Bull. Seism. Soc. Am.*, **92**, No. 8, pp. 3042 – 3066

Montési L. G. J., Hirth G. (2003) : Grain size evolution and the rheology of ductile shear zones: from laboratory experiments to postseismic creep, *Earth Plan. Sci. Lett.*, **211**, pp. 97 – 110

Morrow C. A., Shi L. Q., Byerlee J. D. (1984) : Permeability of fault gouge under confining pressure and shear stress, *J. Geophys. Res.*, **89**, pp. 3193 – 3200

Morse P., H. Feshbach (1953), *Methods of theoretical physics*, McGraw–Hill, New York, 997 pp.

N

- Nakatani M. (1996) : Experimental study of time – dependent phenomena in frictional faults as a manifestation of stress – dependent thermally activated process, *Ph. D. Thesis*
- Nakatani M. (1998) : Understanding the rate – and state – dependent friction law, *comunicazione personale presso l' AGU*, Boston, 1998
- Nakatani M. (1998) : A new mechanism of slip weakening and strength recovery of friction associated with the mechanical consolidation of gouge, *J. Geophys. Res.*, **103**, No. B11, pp. 27239 – 27256
- Nakatani M., Mochizuki H. (1996) : Effects of shear stress applied to surfaces in stationary contact on rock friction, *Geophys. Res. Lett.*, **23**, No. 8, pp. 869 – 872
- Narkounskaia G., Turcotte D. L. (1992) : A cellular – automata, slider – block model for earthquakes – I. Demonstration of chaotic behaviour for a low – order system, *Geophys. J. Intl.*, **111**, pp. 250 – 258
- Navrotsky A. (1995) : Thermodynamic properties of minerals, *Mineral physics and Crystallography: a handbook of physics constants*, edito da T. J. Ahrens, Washington D. C., pp. 18 – 28
- Ni S., Kanamori H., Helmberger D. (2005) : Energy radiation from the Sumatra earthquake, *Nature*, **434**, p. 582
- Nielsen S. B. (1998) : Free surface effects on the propagation of dynamic rupture, *Geophys. Res. Lett.*, **25**, No. 1, pp. 125 – 128

Bibliografia generale

- Nielsen S. B., Carlson J. M. (2000) : Rupture pulse characterization: self – healing, self – similar, expanding solutions in a continuum model of fault dynamics, *Bull. Seism. Soc. Am.*, **90**, No. 6, pp. 1480 – 1497
- Nielsen S. B., Carlson J. M., Olsen K. B. (2000) : Influence of friction and fault geometry on earthquake rupture, *J. Geophys. Res.*, **105**, No. B3, pp. 6069 – 6088
- Nielsen S. B., Madariaga R. (2003) : On the self – healing fracture mode, *Bull. Seism. Soc. Am.*, **93**, No. 6, pp. 2375 – 2388
- Nielsen S. B., Olsen K. B. (2000) : Constraints on stress and friction from dynamic rupture models of the 1994 Northridge, California, Earthquake, *Pure Appl. Geophys.*, **157**, pp. 2029 – 2046
- Noda, H. (2008) : Frictional constitutive law at intermediate slip rates accounting for flash heating and thermally activated slip process, *J. Geophys. Res.*, **113**, B09302, doi: 10.1029 / 2007JB005406.
- Noda, H., Dunham, E. M. and J. R. Rice (2009) : Earthquake ruptures with thermal weakening and the operation of major faults at low overall stress levels, *submitted to J. Geophys. Res.*
- Noda H., Shimamoto T. (2004) : Thermal pressurization and slip – weakening of a fault: an example of the Hanaore fault, Southwest Japan
- Nostro C., Piersanti A., Antonioli A., Spada G. (1999) : Spherical versus flat models od coseismic and postseismic deformations, *J. Geophys. Res.*, **104**, No. B6, pp. 13115 – 13134
- Nur A., Booker J. (1972) : Aftershocks caused by pore fluid flow?, *Science*, **175**, pp. 885 – 887

Nussbaum J., Ruina A. L. (1987) : A two degree – of – freedom earthquake model with static / dynamic friction, *Pure Appl. Geophys.*, **125**, No. 4, pp. 629 – 656

O

- O' Connel D. R. H., Ake J. P. (2005) : Earthquake round motion estimation, *Earthquake volume of the " Hazard and Disasters " series, Routledge, Ltd.*
- Oglesby D. D., Archuleta R. J. (2003) : The three – dimensional dynamics of a nonplanar thrust fault, *Bull. Seism. Soc. Am.*, **93**, No. 5, pp. 2222 – 2235
- Oglesby D. D., Archuleta R. J., Nielsen S. B. (1998) : Earthquake on dipping faults: the effects of broken symmetry, *Science*, **280**, pp. 1055 – 1059
- Oglesby D. D., Archuleta R. J., Nielsen S. B. (2000a) : Dynamics of dip – slip faulting: explorations in two dimensions, *J. Geophys. Res.*, **105**, No. B6, pp. 13643 – 13653
- Oglesby D. D., Archuleta R. J., Nielsen S. B. (2000b) : The three – dimensional dynamics of dipping faults, *Bull. Seism. Soc. Am.*, **90**, No. 3, pp. 616 – 628
- Ohnaka M. (1990) : Nonuniformity of crack – growth resistance and breakdown zone near the propagating tip of a shear crack in brittle rock: a model for earthquake nucleation to dynamic rupture, *Can. J. Phys.*, **68**, pp. 1071 – 1083
- Ohnaka M. (1992) : Earthquake source nucleation: a physical model for short – term precursors, *Tectonophysics*, **211**, pp. 149 – 178
- Ohnaka M. (1993) : Critical size of the nucleation zone of earthquake rupture inferred from immediate foreshock activity, *J. Phys. Earth*, **41**, pp. 45 – 56
- Ohnaka M. (1996) : Nonuniformity of the constitutive law parameters for

shear rupture and quasistatic nucleation to dynamic rupture: a physical model of earthquake generation processes, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3795 – 3802. Colloquium paper

Ohnaka M. (2003) : A constitutive scaling law and a unified comprehension for frictional slip failure, shear fracture of intact rocks, and earthquake rupture, *J. Geophys. Res.*, **108**, N. B2, 2080, doi: 10.1029 / 2000JB000123, pp. ESE 6-1 – 6-

Ohnaka M. (2006) : Reply to “ Comment on ‘ Earthquake cycles and physical modelling of the process leading up to a large earthquake ‘ “, *Earth Planed Space*, **58**, No. 11, pp. 1529 – 1531

Ohnaka M., Akatsu M., Mochizuki H., Odedra A., Tagashira F., Yamamoto Y. (1997) : A constitutive law for the shear failure of rock under lithospheric conditions, *Tectonophysics*, **277**, pp. 1 – 27

Ohnaka M., Kuwahara Y. (1990) : Characteristic features of local breakdown near a crack – tip in the transition zone from nucleation to unstable rupture during stick – slip shear failure, *Tectonophysics*, **175**, pp. 197 – 220

Ohnaka M., Kuwahara Y., Yamamoto K. (1987) : Constitutive relations between dynamic physical parameters near a tip of the propagating slip zone during stick – slip shear failure, *Tectonophysics*, **144**, pp. 109 – 125

Ohnaka M., Shen L. (1999) : Scaling of the shear rupture process from nucleation to dynamic propagation: implications of geometric irregularity of the rupturing surfaces, *J. Geophys. Res.*, **104**, No. B1, pp. 817 – 844

Ohnaka M., Yamashita T. (1989) : A cohesive zone model for dynamic shear faulting based on experimentally inferred constitutive relation and strong motion source parameters, *J. Geophys. Res.*, **94**, No. B4, pp. 4089 – 4104

Bibliografia generale

- Okada Y. (1985) : Surface deformations due to shear and tensile faults in a half – space, *Bull. Seism. Soc. Am.*, **75**, No. 4, pp. 1135 – 1154
- Okubo P. G. (1989) : Dynamic rupture modeling with laboratory – derived constitutive relations, *J. Geophys. Res.*, **94**, No. B9, pp. 12321 – 12335
- Okubo P. G. (1989) : Dynamic rupture modeling with laboratory – derived constitutive relations, *J. Geophys. Res.*, **94**, No. B9, pp. 12321 – 12335
- Okubo P. G., Dieterich J. H. (1984) : Effects of physical fault properties on frictional instabilities produced on simulated faults, *J. Geophys. Res.*, **89**, No. B7, pp. 5817 – 5827
- Okubo P. G., Dieterich J. H. (1986) : State variable fault constitutive relations for dynamic slip, *Earthquake Source Mechanics, Geophysical Monograph, 37, Maurice Ewing Series, 6*, a cura di S. Das, J. Boatwright e C. Scholz, *Am. Geophys. Union*, Washington D. C., pp. 25 – 35
- Olsen K. B., Fukuyama E., Mikumo T. (2002) : Direct measurement of slip – weakening friction from near – fault strong motion data, *Proceedings of 3rd ACES Workshop*
- Olsen K. B., Madariaga R., Archuleta R. J. (1997) : Three – dimensional dynamic simulation of the 1992 Landers earthquake, *Science*, **278**, pp. 834 – 838
- Olson A. H. (1987) : A Chebyshev condition for accelerating convergence of iterative tomographic methods – solving large least squares problems, *Phys. Earth Plan. Int.*, **47**, pp. 333 – 345
- Olson J. E. (2003) : Sublinear scaling of fracture aperture versus length: and exception or the rule?, *J. Geophys. Res.*, **108**, No. B9, 2413, doi: 10.1029 / 2001JB000419, pp. ETG 3-1 – 3-11

- Olsson W. A. (1988) : The effect of normal stress history on rock friction, in Key Questions in Rock Mechanics: Proceedings of the 29th U. S. Symposium, edited by P. A. Cundall, R. L. Sterling, and A. M. Starfield, A. A. Balkema, Rotterdam, 111 – 117
- Oppenheimer D. H., Bakun W. H., Lindh A. G. (1990) : Slip partitioning of the Calaveras Fault, California, and prospects for future earthquakes, *J. Geophys. Res.* **95**, No. B6, pp. 8483 – 8498
- Orowan E. (1960) : Mechanism of seismic faulting in rock deformation, *Geol. Soc. Am. Mem.*, **79**, pp. 323 – 345
- Otsuki K. (2007) : Dependence of surface fracture energy on earthquake size: A derivation from hierarchical self – similar fault zone geometry, *Geophys. Res. Lett.*, **34**, L20305, doi: 10.1029 / 2007GL031419
- Otsuki K., Monzawa N., Nagase T. (2003) : Fluidization and melting of fault gouge during seismic slip: identification in the Nojima fault zone and implications for focal earthquake mechanisms, *J. Geophys. Res.*, **108**, No. B4, 2192, doi: 10.1029 / 2001JB001711, pp. ESE 4-1 – ESE 4-18

P

Pacor F., Cocco M., Boatwright J. (1988) : Modelli dinamici della sorgente sismica: studio dell' espansione della rottura su faglie finite, *Atti del VII Convegno Annuale del Gruppo Nazionale di Geofisica della Terra Solida*, pp. 545 – 561

Page M. T., Dunham E. M., Carlson J. M. (2005) : Distinguishing barriers and asperities in near – ground motion, *J. Geophys. Res.*, **110**, B11302, doi: 10.1029 / 2005JB003736

Palmer A. C., Rice J. R. (1973) : The growth of slip surfaces in the progressive failure of overconsolidated clay, *Proc. R. Soc. London, Ser. A*, **332**, pp. 527 – 548

Papageorgiou A. S. (2003) : The barrier model and strong ground motion, *Pure Appl. Geophys.*, **160**, pp. 603 – 634

Papageorgiou A. S., Aki K. (1983) : A specific barrier model for the quantitative description of inhomogeneous faulting and the prediction of strong ground motion – Part II. Application of the model, *Bull. Seism. Soc. Am.*, **73**, pp. 953 – 978

Parson T. (2005) : A hypothesis for delayed dynamic earthquake triggering, *Geophys. Res. Lett.* **32**, L04302, doi: 10.1029 / 2004GL021811

Paterson M. S., Wong T. – F. (2005) : *Experimental rock deformation: The brittle field*, 2nd Edition, Springer, New York, 347 pp.

Pedersen R., Jónsson S., Árnadóttir T., Sigmundsson F., Feigl K. J. (2003) : Fault slip distribution of two June 2000 M_w 6.5 earthquakes in South Iceland

- estimated from joint inversion of InSAR and GPS measurements, *Earth Plan. Sci. Lett.*, **213**, pp. 487 – 502
- Peng C., Toksöz M. N. (1994) : An optimal absorbing boundary condition for finite difference modelling of acoustic and elastic wave propagation, *J. Acoust. Soc. Am.*, **95**, pp. 733 – 745
- Peng C., Toksöz M. N. (1995) : An optimal absorbing boundary condition for elastic wave modelling, *Geophysics*, **60**, pp. 296 – 301
- Perfettini H., Campillo M., Ionescu I. (2003) : On the scaling of the slip weakening rate of heterogeneous faults, *J. Geophys. Res.*, **108**, No. B9, 2410, doi: 10.1029 / 2002JB001969, pp. ESE 3-1 – ESE 3-5
- Perfettini H., Schmittbuhl J., Cochard A. (2003a) : Shear and normal load perturbation on a two – dimensional continuous fault: 1. Static triggering, *J. Geophys. Res.*, **108**, No. B9, 2408, doi: 10.1029 / 2002JB001804, pp. ESE 1-1 – ESE 1-16
- Perfettini H., Schmittbuhl J., Cochard A. (2003b) : Shear and normal load perturbation on a two – dimensional continuous fault: 2. Dynamic triggering, *J. Geophys. Res.*, **108**, No. B9, 2409, doi: 10.1029 / 2002JB001805, pp. ESE 2-1 – ESE 2-16
- Perfettini H., Schmittbuhl J., Villotte J. – P. (2001) : Slip correlations on a creeping fault, *Geophys. Res. Lett.*, **28**, No. 10, pp. 2137 – 2140
- Perfettini H., Stein R. S., Simpson R., Cocco M. (1999) : Stress transfer by the 1988 – 1989 $M = 5.3$ and 5.4 Lake Elsmoan foreshocks to the Loma Prieta fault: unclamping at the site of peak mainshock slip, *J. Geophys. Res.*, **104**, No. B9, pp. 20169 – 20182

- Perrin G., Rice J. R., Zheng G. (1995) : Self – healing slip pulse on a frictional surface, *J. Mech. Phys. Solids*, **43**, pp. 1461 – 1495
- Petschek A. G., Hanson M. E. (1968) : Difference equation for two – dimensional elastic flow, *J. Comp. Phys.*, **3**, p. 307
- Peyrat S., Olsen K. B., Madariaga R. (2001) : Dynamic modeling of the 1992 Landers earthquake, *J. Geophys. Res.*, **106**, No. B11, pp. 26467 – 26482
- Pollitz F. F., Johnston M. J. S. (2006) : Direct test of static stress versus dynamic stress triggering of aftershocks, *Geophys. Res. Lett.*, **33**, L15318, doi: 10.1029 / 2006GL026764
- Poty B., Stalder H. A., Weisbrod A. (1974) : Fluid inclusion studies in quartz from fissures of western and central Alps, Schweiz, *Mineral. Petrol.*, **54**, 717 – 752
- Power W. L., Tullis T. E., Weeks J. D. (1988) : Roughness and wear during brittle faulting, *J. Geophys. Res.*, **93**, No. B12, pp. 15268 – 15278
- Piombo A., Martinelli G., Dragoni M. (2005) : Post – seismic fluid flow and Coulomb stress changes in a poroelastic medium, *Geophys. J. Int.*, **162**, pp. 507 – 515
- Prakash V. (1998) : Frictional response of sliding interfaces subjected to time varying normal pressure, *J. of Tribology*, **120**, pp. 97 – 102
- Prakash V., Clifton R. J. (1992) : Pressure – plate impact measurement of dynamic friction for high speed machining applications, *Proceedings of the VII International Congress on Experimental Mechanics, Society of Experimental Mechanics, Las Vegas*

Press W. H., Teukolsky S. A., Vetterling W. T., Flannery B. P. (1992) :
Numerical Recipes in FORTRAN. The art of scientific computing, Second
edition, *Cambridge University Press*

Q

Quin H. (1990) : Dynamic stress drop and rupture dynamics of the October 15, 1979 Imperial Valley, California, earthquake, *Tectonophysics*, **175**, pp. 93 – 117

Quin H. R., Das S. (1989) : A hybrid boundary integral equation method for the computation of source time functions for 3 – D rupture propagation, *Geophys. J.*, **96**, pp. 163 – 177

R

- Rabinowicz E. (1958) : The intrinsic variables affecting the stick – slip process, *Proc. Phys. Soc.*, **71**, pp. 443 – 475
- Rabinowicz E. (1965) : Friction and wear of materials, *John Wiley and Sons*, New York, London, Sidney
- Raleigh C. B., Everden J. (1981) : Case for low deviatoric stress in the lithosphere, in *The Mechanical Behavior of Crustal Rocks, Geophys. Monogr. Ser.*, **24**, a cura di N. L. Carter, M. Friedman, J. M. Logan e D. W. Stearns, AGU, Washington D. C., pp. 173 – 186
- Ranalli G. (1987) : Rheology of the earth, *Allen & Unwin*, London, Sydney, Wellington
- Ranalli G. (1993) : Viscosity of the asthenosphere, *Nature*, **361**, p. 211
- Ranalli G. (1995) : Rheology of the Earth, 2nd Edition, Chapman & Hall, London
- Ranalli G. (2001) : Mantle rheology: radial and lateral viscosity variations inferred from microphysical creep laws, *J. Geodynamics*, **32**, pp. 425 – 444
- Ranalli G., Fischer B. (1984) : Diffusion creep, dislocation creep and mantle rheology, *Phys. Earth Plan. Int.*, **34**, pp. 77 – 84
- Ranjith K., Rice J. R. (1999) : Stability of quasi – static slip in a single degree of freedom elastic system with rate and state dependent friction, *J. Mech. Phys. Solids*, **47**, pp. 1207 – 1218

- Reid H. F. (1910) : The mechanics of the earthquake, *Rept. State Earthquake Inv. Comm., The California Earthquake of April 18, 1906*, Washington D. C.: Carnegie Inst.
- Reynolds A. C. (1978) : Boundary conditions for the numerical solution of wave propagation problems, *Geophysics*, **43**, pp. 1099 – 1110
- Rice J. R. (1980) : The mechanics of earthquake rupture, *Physics of the Earth's interior, Proceedings of the International School of Physics " Enrico Fermi "*, a cura di A. M. Dziewonski ed E. Boschi, *North – Holland Publishing Company*, Amsterdam, New York, Oxford, pp. 555 – 649
- Rice J. R. (1992) : Fault stress states, pore pressure distributions, and the weakness of the San Andreas Fault, in *Fault Mechanics and Transport Properties in Rocks (the Brace Volume)*, a cura di B. Evans and T. – F. Wong, Academic, San Diego, pp. 475 – 503
- Rice J. R. (1993) : Spatio – temporal complexity of slip on a fault, *J. Geophys. Res.*, **98**, pp. 9885 – 9907
- Rice J. R., Ben – Zion Y. (1996) : Slip complexity in earthquake fault models, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3811 – 3818, Colloquium Paper
- Rice J. R., Cleary M. P. (1976) : Some basic stress diffusion solutions for fluid – saturated elastic porous media with compressible constituents, *Review of Geophys. and Space Phys.*, **14**, No. 2, pp. 227 – 241
- Rice J. R., Simons D. A. (1976) : The stabilization of spreading shear faults by coupled deformation – diffusion effects in fluid – infiltrated porous materials, *J. Geophys. Res.*, **81**, No. 29, pp. 5322 – 5334

- Rice J. R., Cocco M. (2004) : Seismic fault rheology and earthquake dynamics, unpublished manuscript prepared for the 95th Dahlem Workshop on *The dynamics of fault zones*, Berlin, January, 2005
- Rice J. R., Gu J. – C. (1983) : Earthquake aftereffects and triggered seismic phenomena, *Pure Appl. Geophys.*, **121**, No. 2, pp. 187 – 219
- Rice J. R., Ruina A. L. (1983) : Stability of steady frictional slipping, *J. Appl. Mech.*, **50**, pp. 343 – 349
- Rice J. R., Tse S. T. (1986) : Dynamic motion of a single degree of freedom system following a rate and state dependent friction law, *J. Geophys. Res.*, **91**, No. B1, pp. 521 – 530
- Rice J. R. (1999) : Flash heating at asperity contacts and rate – dependent friction, *Eos Trans. AGU*, **80**, No. 46, Fall Meet. Suppl., p. F471
- Richards P. G. (1976) : Dynamic motions near an earthquake fault: a three – dimensional solution, *Bull. Seism. Soc. Am.*, **66**, No 1, pp. 1 – 32
- Richards P. G. (1979) : Elementary solutions to Lamb’ s problem for a point source and their relevance to three – dimensional studies of spontaneous crack propagation, *Bull. Seism. Soc. Am.*, **69**, No. 4, pp. 947 – 956
- Richardson E., Marone C. (1999) : Effects of normal stress vibrations on frictional healing, *J. Geophys. Res.*, **104**, No. B12, pp. 28859 – 28878
- Ripperger J., Mai P. M. (2004) : Fast computation of static stress changes on 2D faults from final slip distributions, *Geophys. Res. Lett.*, **31**, L18610, doi: 10.1029 / 2004GL020594

- Robinson D. P., Brough C., Das S. (2006) : The M_w 7.8, 2001 Kunlunshan earthquake: extreme rupture speed variability and effects of fault geometry, *J. Geophys. Res.*, **111**, B08303, doi: 10.1029 / 2005JB004137.
- Rosakis A. J., Samudrala O., Coker D. (1999) : Cracks faster than shear wave speed, *Science*, **284**, pp. 1337 – 1340
- Roy M., Marone C. (1996) : Earthquake nucleation on model faults with rate – and state – dependent friction: effects of inertia, *J. Geophys. Res.*, **101**, No. B6, pp. 13919 – 13932
- Rudnicki J. W., Chen C. – H. (1988) : Stabilization of rapid frictional slip on a weakening fault by dilatant hardening *J. Geophys. Res.*, **93**, pp. 4745 – 4757
- Rubin A. M., Ampuero J. – P. (2005) : Earthquake nucleation on (aging) rate and state faults, *J. Geophys. Res.*, **110**, B11312, doi: 10.1029 / 2005JB003686
- Rubinstein S. M., Cohen G., Fineberg J. (2006) : Contact are measurements reveal loading – history dependence of static friction, *Phys. Rev. Lett.*, **96**, 256103, doi: 10.1103 / PhysRevLett.96. 256103, pp. 1 – 4
- Rubinstein S. M., Cohen G., Fineberg J. (2007) : Dynamic of precursors to frictional sliding, *Phys. Rev. Lett.*, **98**, 226103, doi: 10.1103 / PhysRevLett.98.226103, pp. 1 – 4
- Rubinstein S. M., Shay M., Cohen G., Fineberg J. (2006) : Crack – like processes governing the onset of frictional slip, *Int. J. Fract.*, **140**, doi: 10.1007 / s10704–006–0049–8, pp. 201 – 121

- Ruina A. L. (1980) : Friction laws and instabilities: a quasistatic analysis of some dry frictional behavior, *Ph. D. Thesis in Engineering at Brown University*, Providence, RI
- Ruina A. L. (1983) : Slip instability and state variable friction laws, *J. Geophys. Res.*, **88**, No. B12, pp. 10359 – 10370
- Rybicki K. R., Yamashita T. (1998) : Faulting in vertically inhomogeneous media and its geophysical implications, *Geophys. Res. Lett.*, **25**, No. 15, pp. 2893 – 2896

S

- Saffer D. M., Frye K. M., Marone C., Mair K. (2001) : Laboratory results indicating complex and potentially unstable frictional behavior of smectite clay, *Geophys. Res. Lett.*, **29**, No. 12, pp. 2297 – 2300
- Sammis C. G., Nadeau R. M., Johnson L. R. (1999) : How strong is an asperity ?, *J. Geophys. Res.*, **104**, No. B5, pp. 10609 – 10619
- Savage J. C. (1966) : Radiation form a realistic model of faulting, *Bull. Seism. Soc. Am.*, **56**, pp. 577 – 592
- Savage J. C., Walsh J. B. (1978) : Gravitational energy and faulting, *Bull. Seismol. Soc. Am.*, **68**, pp. 1613 – 1622
- Savage J. C., Wood M. D. (1971) : The relation between apparent stress and stress drop, *Bull. Seismol. Soc. Am.*, **61**, pp. 1381 – 1388
- Scalera G. (1998) : Note storiche su moti e forma della terra, *ING Roma*
- Scholz C. H. (1988) : The critical slip distance for seismic faulting, *Nature*, **336**, pp. 761 - 763
- Scholz C. H. (1990) : The mechanics of earthquakes and faulting, *Cambridge University Press*
- Scholz C. H. (2002) : The mechanics of earthquakes and faulting, 2nd edition, *Cambridge University Press*
- Scholz C. H. (1998) : Earthquakes and friction laws, *Nature*, **391**, pp. 37 – 42

- Scholz C. H., Dawers N. H., Yu J. – Z., Anders M. H., Cowie P. A. (1993) :
Fault growth and scaling laws. Preliminary results, *J. Geophys. Res.*, **98**,
No. B12, pp. 21951 – 21961
- Schubnel A., Walker E., Thompson B. D., Fortin J., Guéguen Y., Young R. P.
(2006) : Transient creep, aseismic damage and slow failure in Carrara
marble deformed across the brittle – ductile transition, *Geophys. Res. Lett.*,
33, L17301, doi: 10.1029 / 2006GL026619
- Segall P., Rice J. R. (1995) : Dilatancy, compaction, and slip instability of a
fluid – infiltrated fault, *J. Geophys. Res.*, **100**, No. 101, pp. 22155 – 22171
- Senatorski P. (1994) : Spatio – temporal evolution of faults: deterministic
model, *Physica D*, **76**, pp. 420 – 435
- Senatorski P. (1995) : Dynamics of a zone of four parallel faults: a
deterministic model, *J. Geophys. Res.*, **100**, No. B12, pp. 24111 – 24120
- Shapiro S. A., Patzig R., Rothert E., Rindshwentner J. (2003) : Triggering of
seismicity by pore – pressure perturbations: permeability – related
signature of the phenomenon, *Pure Appl. Geophys.*, **160**, pp. 1051 – 1066
- Sharon E., Gross S. P., Fineberg J. (1996) : Energy dissipation in dynamic
fracture, *Phys. Rev. Lett.*, **76**, No. 12, pp. 2117 – 2120
- Shibazaki B. (2005) : Nucleation process with dilatant hardening on a fluid –
infiltrated strike – slip fault model using a rate – and state – dependent
friction law, *J. Geophys. Res.*, **110**, B11308, doi: 10.1029 / 2005JB003741
- Shibazaki B., Matsu'ura M. (1998) : Transition process from nucleation to
high – speed rupture propagation: scaling from stick – slip experiments to
natural earthquakes, *Geophys. J. Intl.*, **132**, pp. 14 – 30

- Shimamoto T., Hagahama H. (1992) : An argument against the crush origin of pseudotaclytes based on the analysis of clast – size disctribution, *J. Struct. Geol.*, **14**, No. 8/9, pp. 999 – 1006
- Sibson R. H. (1973) : Interaction between temperature and pore – fluid pressure during earthquake faulting – A mechanism for partial or total stress relief, *Nature*, **243**, pp. 66 – 68
- Sibson R. H. (1984) : Roughness at the base of the seismogenic zone contributing factors, *J. Geophys. Res.*, **89**, No. B7, pp. 5791 – 5799
- Sibson R. H. (1986) : Brecciation processes in fault zones: inferences from earthquake rupturing, *Pure Appl. Geophys.*, **124**, pp. 169 – 175
- Sibson R. H. (2003) : Thickness of the seismic slip zone, *Bull. Seism. Soc. Am.*, **93**, No. 3, pp. 1169 – 1178
- Sleep N. H. (1995a) : Frictional heating and the stability of rate and state dependent frictional sliding, *Geophys. Res. Lett.*, **22**, No. 20, pp. 2785 – 2788
- Sleep N. H. (1995b) : Ductile creep, compaction, and rate and state dependent friction within major fault zones, *J. Geophys. Res.*, **100**, No. B7, pp. 13065 – 13080
- Sleep N. H. (1997) : Application of a unified rate and state friction theory to the mechanics of fault zones with strain localization, *J. Geophys. Res.*, **102**, No. B2, pp. 2875 – 2895
- Sleep N. H. (1998) : Rake dependent rate and state friction, *J. Geophys. Res.*, **103**, No. B4, pp. 7111 – 7119
- Sleep N. H. (1999a) : Rate – and state – dependent friction of intact rock and gouge, *J. Geophys. Res.*, **104**, No. B8, pp. 17847 – 17855

- Sleep N. H. (1999a) : Effects of the extrusion of fault gouge on frictional sliding, *J. Geophys. Res.*, **104**, No. B10, pp. 23023 – 23032
- Sleep N. H. (2005) : Physical basis of evolution laws for rate and state friction, *Geochem. Geophys. Geosyst.*, **6**, No. 11, G11008, doi: 10.1029 / 2005GC000991
- Sleep N. H. (2006a) : Real contacts and evolution laws for rate and state friction, *Geochem. Geophys. Geosyst.*, **7**, No. 8, G08012, doi: 10.1029 / 2005GC001187
- Sleep N. H. (2006b) : Frictional dilatancy, *Geochem. Geophys. Geosyst.*, **7**, No. 10, G10008, doi: 10.1029 / 2006GC001374
- Sleep N. H., Blanpied M. L. (1992) : Creep, compaction and the weak rheology of major faults, *Nature*, **359**, pp. 687 – 692
- Sleep N. H., Richardson E., Marone C. (2000) : Physics of friction and strain rate localization in synthetic fault gouge, *J. Geophys. Res.*, **106**, No. B11, pp. 25875 – 25890
- Slepyan L. I. (1976) : Crack dynamics in an elastic–plastic body, *MTT (english transl.)*, **11**, pp. 126 – 134
- Sone H., Shimamoto T. (2009) : Frictional resistance of faults during accelerating and decelerating earthquake slip, *Nature Geoscience*, doi: 10.1038 / NGE0637, pp. 1 – 4
- Spray J. G. (1993) : Viscosity determinations of some frictionally generated silicate melts: Implications for fault zone rheology at high strain rates, *J. Geophys. Res.*, **98**, pp. 8053 – 8068

Bibliografia generale

- Spudich P. (1991) : Note personali sul codice Fortran QUIN, *inedite*
- Spudich P. (1992) : On the inference of absolute stress levels from seismic radiation, *Tectonophys.*, **211**, pp. 99 – 106
- Spudich P., Cranswick E. (1984) : Direct observation of rupture propagation during the 1979 Imperial Valley earthquake using a short baseline accelerometer array, *Bull. Seism. Soc. Am.*, **74**, No. 6, pp. 2083 – 2114
- Spudich P., Frazer L. N. (1984) : Use of ray theory to calculate high – frequency radiation from earthquake sources having spatially variable rupture velocity and stress drop, *Bull. Seism. Soc. Am.*, **74**, No. 6, pp. 2061 – 2082
- Spudich P., Guatteri M., Otsuki K., Minagawa J. (1998) : Use of fault striations and dislocation model to infer tectonic shear stress during the 1995 Hyogo – ken – Manbu (Kobe) earthquake, *Bull. Seism. Soc. Am.*, **88**, No. 2, pp. 413 – 427
- Spudich P., Oppenheimer D. (1986) : Dense seismograph array observations of earthquake rupture dynamics, *Earthquake Source Mechanics, Geophysical Monograph*, **37**, *Maurice Ewing Series*, **6**, a cura di S. Das, J. Boatwright e C. H. Scholz, *Am. Geophys. Union*, Washington D. C., pp. 285 – 296
- Stefan J. (1981) : Über die theorie der eisbildung, insbesondere die eisbildung im polarmere, *Ann. Physik Chem.*, **42**, pp. 269 – 286
- Stein R. S. (1999) : The role of stress transfer in earthquake occurrence, *Nature*, **402**, pp. 605 – 609
- Stein S., Okal E. A. (2005) : Speed and size of the Sumatra earthquake, *Nature*, **434**, pp. 581 – 582

Steacy S. J., McCloskey J. (?) : What controls an earthquake' s size? Results from a heterogeneous cellular automata, *Geophys. J. Int.*

Stesky R. (1978) : Mechanism of high temperature frictional sliding in Westerly granite, *Can. J. Earth. Sci.*, **15**, pp. 361 – 375

Streit J. E., Cox S. F. (2001) : Fluid pressures at hypocenters of moderate to large earthquakes, *J. Geophys Res.*, **106**, No. B2, pp. 2235 – 2243

Suzuki T., Yamashita T. (2006) : Nonlinear thermoporoelastic effects on dynamic earthquake rupture, *J. Geophys. Res.*, **111**, B03307, doi: 10.1029 / 2005JB003810

T

Tanaka H., Chen W. M., Wang C. Y., Ma K. F., Urata N., Mori J., Ando M. (2006) : Frictional heat form faulting of the 1999 Chi – Chi, Taiwan earthquake, *Geophys. Res. Lett.*, **33**, L16316, doi: 10.1029 / 2006GL026673

Terzaghi K., Peck R. B., Mesri G. (1996) : Soil mechanics in engineering practice, 3rd ed., *John Wiley*, Hoboken, N. J

Teufel L. W., Logan J. M. (1979) : Effect of displacement rate on the real area of contact and temperatures generated during frictional sliding of Tennessee sandstone, *Pure Appl. Geophys.*, **116**, pp. 840 – 865

Tinti E., Bizzarri A., Cocco M. (2005) : Modeling the dynamic rupture propagation on heterogeneous faults with rate – and state – dependent friction, *Ann. Geophys.*, **48**, No. 2, pp. 327 – 345

Tinti E., Bizzarri A., Piatanesi A., Cocco M. (2004) : Estimates of slip weakening distance for different dynamic rupture models, *Geophys. Res. Lett.*, **31**, L02611, doi: 10.1029 / 2003GL018811

Tinti E., Spudich P., Cocco M. (2005) : Earthquake fracture energy inferred from kinematic rupture models on extended faults, *J. Geophys. Res.*, **110**, B12303, doi: 10.1029 / 2005JB003644

Trulio J. G. (1964) : Studies of finite difference techniques for continuum mechanics, Air Force Weapons Laboratory, Technical Documentary, *Report No. WLDR-64-72*

- Tse S. T., Rice J. R. (1986) : Crustal earthquake instability in relation to the depth variation of frictional slip properties, *J. Geophys. Res.*, **91**, No. B9, pp. 9452 – 9472
- Tsutsumi A. (1999) : Size distribution of clasts in experimentally produced pseudotachylytes, *J. Struct. Geol.*, **21**, pp. 305 – 312
- Tsutsumi A., Shimamoto T. (1997) : High – velocity frictional properties of gabbro, *Geophys. Res. Lett.*, **24**, pp. 699 – 702
- Tullis, T. E., Goldsby D. (2003) : Laboratory experiments on fault shear resistance relevant to coseismic earthquake slip, *SCEC Annual Report for 2003*.
- Tullis T. E., Weeks J. D. (1986) : Constitutive behavior and stability of frictional sliding of granite, *Pure Appl. Geophys.*, **124**, No. 3, pp. 383 – 414
- Turcotte D. L. (1986) : Fractals and fragmentation, *J. Geophys. Res.*, **91**, No. B2, pp. 1921 – 1926
- Turcotte D. L., Shubert G. (1982) : Geodynamics, *John Wiley & Sons*, New York
- Turcotte D. L., Shubert G. (2002) : Geodynamics, 2nd ed., 456 pp., *Cambridge Univ.*, New York
- Turcotte D. L., Tag P. H., Cooper R. F. (1980) : A steady state model for the distribution of stress and temperature on the San Andreas fault, *J. Geophys. Res.*, **85**, No. B11, pp. 6224 – 6230

U

Uenishi K., Rice J. R. (2003) : Universal nucleation length for slip – weakening rupture instability under nonuniform fault loading, *J. Geophys. Res.*, **108**, No. B1, 2042, doi: 10.1029 / 2001JB001681, pp. ESE 17-1 – 17-14

Umeda Y. (1992) : The bright spot of an earthquake, *Tectonophysics*, **211**, pp. 13 – 22

Urbakh M., Klafter J., Gourdon D., Israechvili J. (2004) : The nonlinear nature of friction, *Nature*, **430**, No. 29, pp. 525 – 528

Umeda Y., Yamashita T., Ito K., Horikawa H. (1996) : The bright spot and the growth process of the 1995 Hyogo – ken Nanbu earthquake, *J. Phys. Earth*, **44**, pp. 519 – 527

V

- Vallée M., Landès M., Shapiro N. M., Klinger Y. (2008) : The 14 November 2001 Kokoxili (Tibet) earthquake: High – frequency seismic radiation originating from the transitions between sub – Rayleigh and supershear rupture velocity regimes, *J. Geophys. Res.*, **113**, B07305, doi: 10.1029 / 2007JB005520.
- Van der Wal D., Chopra P., Drury M., Fitz Gerald J. (1993) : Relationships between dynamically recrystallized grain size and deformation conditions in experimentally deformed olivine rocks, *Geophys. Res. Lett.*, **20**, No. 14, pp. 1479 – 1482
- Vinciguerra S., Trovato C., Meredith P. G., Benson P. M. (2005) : Relating seismic velocities, thermal cracking and permeabilità in Mt. Etna and Icelad basalts, *Intl. J. Rock Mech.*, **42**, pp. 900 – 910
- Virieux J., Madariaga R. (1982) : Dynamic faulting studied by a finite difference method, *Bull. Seism. Soc. Am.*, **72**, No. 2, pp. 345 – 369
- Voisin C. (2002) : Dynamic triggering of earthquakes: the nonlinear slip – dependent friction case, *J. Geophys. Res.*, **107**, B12, 2356, doi: 10.1029 / 2001JB001121, pp. ESE 10-1 – ESE 10-11
- Voisin C., Campillo M., Ionescu I., Cotton F., Scotti O. (2000) : Dynamic versus static stress triggering and friction parameters: inferences from the November 23, 1980 Irpinia earthquake, *J. Geophys. Res.*, **105**, No. B9, pp. 21647 – 21659
- Voisin C., Cotton F., Di Carli S. (2004) : A unified model for dynamic and static stress triggering of aftershocks, antishocks, remote seismicity, creep

Bibliografia generale

events, and multisegmented rupture, *J. Geophys. Res.*, **109**, B06304, doi:
10.1029 / 2003JB002886

W

- Walsh J. B. (1971) : Stiffness in faulting and in friction experiments, *J. Geophys. Res.*, **76**, No. 35, pp. 8597 – 8598
- Wang H. F. (2000) : Theory of linear poroelasticity, *Princeton Univ. Press*, Princeton, N. J., 287 pp.
- Wang W., Scholz C. H. (1993) : Scaling of constitutive parameters of friction for fractal surfaces, *Rock Mech. Min. Sci. & Geomech. Abstr.*, **30**, No. 7, pp. 1359 – 1365
- Wong T – f., Ko S – c., Olgaard D. L. (1997) : Generation and maintenance of pore pressure excess in a dehydrating system. 2. Theoretical analysis, *J. Geophys. Res.*, **102**, No. B1, pp. 841 – 852
- Wong F. – f. () : On the normal stress dependence of the shear fracture energy in *Earthquake Source Mechanics*, American Geophysical Union Geophysical Monograph 37, Maurice Ewing Series Vol. 6, pp. 1 – 11, eds Das, S., Boatwright, J. & C. H. Scholz, AGU, Washington, DC
- Weeks J. D. (1993) : Constitutive laws for high – velocity frictional sliding and their influence on stress drop during unstable slip, *J. Geophys. Res.*, **98**, No. B10, pp. 17637 – 17648
- Weeks J. D., Tullis T. E. (1985) : Frictional sliding of dolomite: a variation in constitutive behavior, *J. Geophys. Res.*, **90**, pp. 7821 – 7826
- Weertman J. (1980) : Unstable slippage across a fault that separates elastic media of different elastic constants, *J. Geophys. Res.*, **85**, No. B3, pp. 1455 – 1461

Wibberley C. A. J., Shimamoto T. (2003) : Internal structure and permeability of major strike – slip fault zones: the Median Tectonic Line in Mie Prefecture, Southwest Japan, *J. Struct. Geol.*, **25**, pp. 59 – 78

Wibberley C. A. J., Shimamoto T. (2005) : Earthquake slipweakening and asperities explained by thermal pressurization, *Nature*, **436**, No. 4, pp. 689 – 792, doi: 10.1038 / nature03901

Willis J. R. (1973) : Self – similar problems in elastodynamics, *Phil. Trans. Roy. Soc. London*, **A274**, pp. 435 – 491

Wilson J. E., Chester J. S., Chester F. M. (2003) : Microfracture analysis of fault growth and wear processes, Punchbowl Fault, San Andreas system, California, *J. Struct. Geol.*, **25**, pp. 1855 – 1873

Wilson B., Dewes T., Reches Z., Brune J. (2005) : Particle size and energetics of gouge from earthquake rupture zones, *Nature*, **434**, pp. 749 – 752

Wong T. – f. (1982) : Shear fracture energy of Westerly granite from post – failure behavior, *J. Geophys. Res.*, **87**, No. 2, pp. 990 – 1000

Wu F. T., Thomson K. C., Kuenzler H. (1972) : Stick – slip propagation velocity and seismic source mechanism, *Bull. Seism. Soc. Am.*, **62**, pp. 1621 – 1628

X

Xia K., Rosakis A. J., Kanamori H. (2004) : Laboratory earthquakes: the sub – Rayleigh – to – supershear rupture transition, *Science*, **303**, pp. 1859 – 1861

Xu Y., Shankland T. J., Lindhardt S., Rubie D. C., Lagenhorst F., Klasinski K. (2004) : Thermal diffusivity and conductivity of olivine, wadsleyite and ringwoodite to 20 Gpa and 1373 K, *Phys. Earth. Plan. Int.*, **143 – 144**, pp. 321 – 336

Y

Yamashita T. (1998) : Simulation of seismicity due to fluid migration in a fault zone, *Geophys. J. Int.*, **132**, pp. 661 – 675

Yamasita T., Ohnaka M. (1991) : Nucleation process of unstable rupture in the brittle regime : a theoretical approach based on experimentally inferred relations, *J. Geophys. Res.*, **96**, No. B5, pp. 8351 – 8367

Z

- Zhang W., Iwata T., Irikura K., Sekiguchi H., Bouchon M. (2993) : Heterogeneous distribution of the dynamic source parameters of the 1999 Chi – Chi, Taiwan, earthquake, *J. Geophys. Res.*, **108**, No. B5, 2232, doi: 10.1029 / 2002JB001889, ESE 4-1 – 4-14
- Zhang C., Oglesby D. D., Xu G. (2004) : Earthquake nucleation on dip – slip faults, *J. Geophys. Res.*, **108**, B11302, doi: 10.1029 / 2003JB002894, 1 – 18
- Zheng G., Rice J. R. (1998) : Conditions under which velocity – weakening friction allows a self – healing versus a cracklike mode of rupture, *Bull. Seism. Soc. Am.*, **88**, No. 6, pp. 1466 – 1483
- Zencher F., Bonafede M., Stefansson R. (2006) : Near – lithostatic pore pressure at seismogenic depths: a thermoporoelastic model, *Geophys. J. Int.*, **166**, pp. 1318 – 1334
- Ziv A. (2003) : Foreshocks, aftershocks, and remote triggering in quasi – static fault models, *J. Geophys. Res.*, **108**, No. B10, 2498, doi: 10.1029 / 2002JB002318, pp. ESE 14-1 – 14-13
- Ziv A., Cochard A. (2006) : Quasi – dynamic modeling of seismicity on a fault with depth – variable rate – and state – dependent friction, *J. Geophys. Res.*, **111**, B08310, doi: 10.1029 / 2005JB004189
- Zöller G., Holschneider M., Ben – Zion Y. (2005) : The role of heterogeneities as a tuning parameter of earthquake dynamics, *Pure Appl. Geophys.*, **162**, No. 6 – 7, pp. 1027 – 1049