

## References

- Aki K. ( 1979 ) : Characterization of barriers on an earthquake fault, *J. Geophys. Res.*, **84**, No. B11, pp. 6140 – 6148
- Andrews D. J. ( 1973 ) : A numerical study of tectonic stress release by underground explosions, *Bull. Seism. Soc. Am.*, **63**, No. 4, pp. 1375 – 1391
- Andrews D. J. ( 1976a ) : Rupture propagation with finite stress in antiplane strain, *J. Geophys. Res.*, **81**, No. 20, pp. 3575 – 3582
- Andrews D. J. ( 1976b ) : Rupture velocity of plane strain shear cracks, *J. Geophys. Res.*, **81**, No. 32, pp. 5679 – 5687
- Andrews D. J. ( 1985 ) : Dynamic plane – strain shear rupture with a slip – weakening friction law calculated by a boundary integral method, *Bull. Seism. Soc. Am.*, **75**, No. 1, pp. 1 – 21
- Andrews D. J. ( 1994 ) : Dynamic growth of mixed – mode shear cracks, *Bull. Seism. Soc. Am.*, **84**, No. 4, pp. 1184 – 1198
- Andrews D. J. ( 1999 ) : Test of two methods for faulting in finite – difference calculations, *Bull. Seism. Soc. Am.*, **89**, No. 4, pp. 931 – 937
- Andrews D. J. ( 2003 ) : A fault constitutive relation accounting for thermal pressurization of pore fluid, *accepted for publication in J. Geophys. Res.*
- Andrews D. J., Ben – Zion Y. ( 1997 ) : Wrinkle – like pulse on a fault between different materials, *J. Geophys. Res.*, **102**, No. B1, pp. 553 – 571

*References*

- Aochi H., Fukuyama E., Matsu'ura M. ( 2000 ) : Selectivity of spontaneous rupture propagation on a branched fault, *Geophys. Res. Lett.*, **27**, No. 22, pp. 3635 – 3638
- Barenblatt G. I. ( 1959a ) : The formation of equilibrium cracks during brittle fracture, general ideas and hypothesis: axially symmetric cracks, *Appl. Math. Mech.*, **23**, pp. 662 – 636
- Barenblatt G. I. ( 1959b ) : Concerning equilibrium forming during brittle fracture: the stability of isolated cracks, relationship with energetic theories, *Appl. Math. Mech.*, **23**, pp. 1273 – 1282
- Beeler N. M., Tullis T. E. ( 1996 ) : Self – healing slip pulses in dynamic rupture models due to velocity – dependent strength, *Bull. Seism. Soc. Am.*, **86**, No. 4, pp. 1130 – 1148
- Beeler N. M., Tullis T. E., Weeks J. D. ( 1994 ) : The roles of time and displacement in the evolution effect in rock friction, *Geophys. Res. Lett.*, **21**, No. 18, pp. 1987 – 1990
- Beeler N. M., Wong T. – f., He C. ( 2002 ) : Slip – weakening distance and fracture energy during dynamic sliding with laboratory – inferred fault strength, *Personal communication*
- Belardinelli M. E., Bizzarri A., Cocco M. ( 2003 ) : Earthquake triggering by static and dynamic stress changes, *in press on J. Geophys. Res.*
- Belardinelli M. E., Cocco M., Coutant F., Cotton F. ( 1999 ) : Redistribution of dynamic stress during coseismic ruptures: Evidence for fault interaction and earthquake triggering, *J. Geophys. Res.*, **104**, pp. 14925 – 14945

- Ben – Zion Y., Andrews D. J. ( 1998 ) : Properties and implications of dynamic rupture along a material interface, *Bull. Seism. Soc. Am.*, **88**, No. 4, pp. 1085 – 1094
- Beroza G. C., Ellsworth W. L. ( 1996 ) : Properties of the seismic nucleation phase, *Tectonophysics*, **261**, pp. 209 – 227
- Beroza G. C., Mikumo T. ( 1996 ) : Short slip duration in dynamic rupture in the presence of heterogeneous fault properties, *J. Geophys. Res.*.
- Bizzarri A. ( 1998 ) : Dinamica dei processi di fagliazione: simulazione dei meccanismi di frattura durante un terremoto, *Degree Thesis in Physics at the Università degli Studi of Bologna*
- Bizzarri A., Cocco M. ( 2003 ) : Slip – weakening behavior during the propagation of dynamic ruptures obeying to rate – and state – dependent friction laws, *accepted for publication in J. Geophys. Res.*
- Bizzarri A., Cocco M., Andrews D. J., Boschi E. ( 2001 ) : Solving the dynamic rupture problem with different numerical approaches and constitutive laws, *Geophys. J. Int.*, **144** , pp. 656 - 678
- Boatwright J., Cocco M. ( 1996 ) : Frictional constraints on crustal faulting, *J. Geophys. Res.*, **101**, No. B6, pp. 13895 – 13909
- Bowden F. P., Tabor D. ( 1950 ) : The friction and lubrication of solids, Part I, *Clarendon Press, Oxford*
- Bowden F. P., Tabor D. ( 1964 ) : The friction and lubrication of solids, Part II, *Clarendon Press, Oxford*

*References*

- Brodsky E. E., Karakostas V., Kanamori H. ( 2000 ) : A new observation of dynamically triggered regional seismicity: Earthquakes in Greece following the August, 1999 Izmit, Turkey earthquake, *Geophys. Res. Lett.*, **27**, pp. 2741 - 2744
- Brune J. N. ( 1970 ) : Tectonic stress and the spectra of seismic shear waves from earthquakes, *J. Geophys. Res.*, **75**, No. 26, pp. 4997 - 5009
- Burridge R. ( 1973 ) : Admissible speeds for plane – strain self – similar shear cracks with friction but lacking cohesion, *Geophys. J. Roy. Astr. Soc.*, **35**, pp. 439 – 455
- Burridge R., Knopoff L. ( 1967 ) : Model and theoretical seismicity, *Bull. Seism. Soc. Am.*, **57**, pp. 341 – 371
- Burridge R., Willis J. R. ( 1969 ) : The self – similar problem of the expanding elliptical crack in an anisotropic solid, *Proc. Camb. Phil. Soc.*, **66**, pp. 443 – 468
- Campillo M., Ionescu I. R. ( 1997 ) : Initiation of antiplane shear instability under slip dependent friction, *J. Geophys. Res.*, **102**, No. B9, pp. 20363 – 20371
- Carlson J. M., Langer J. S. ( 1989 ) : A mechanical model of an earthquake fault, *Phys. Rev. A Gen. Phys.*, **40**, pp. 6470 – 6484
- Cocco M., Bizzarri A. ( 2002 ) : On the slip – weakening behavior of rate – and state – dependent constitutive laws, *Geophys. Res. Lett.*, **29**, No. 11, pp. 11-1 – 11-4
- Cocco M., Bizzarri A., Tinti E. ( 2003 ) : Physical interpretation of the breakdown process using a rate – and state – dependent friction law, *accepted for publication in Tectonophys. “ Physics of Active Faults “*

- Cochard A., Madariaga R. ( 1994 ) : Dynamic faulting under rate – dependent friction, *Pure Appl. Geophys.*, **142**, No. 3/4, pp. 419 – 445
- Cochard A., Madariaga R. ( 1996 ) : Complexity of seismicity due to highly rate dependent friction, *J. Geophys. Res.*, **101**, pp. 25321 – 25336
- Cochard A., Rice J. R. ( 2000 ) : Fault rupture between dissimilar materials: ill – posedness, regularization, and slip – pulse response, *J. Geophys. Res.*, **105**, No. B11, pp. 25891 – 25907
- Cotton F., Coutant O. ( 1997 ) : Dynamic stress variations due to shear faults in a plane-layered medium, *Geophys. J. Int.*, **128**, pp. 676 - 688,
- Das S., Aki K. ( 1977a ) : A numerical study of two – dimensional spontaneous rupture propagation, *Geophys. J. Roy. Astr. Soc.*, **50**, pp. 643 – 668
- Das S., Aki K. ( 1977b ) : Fault plane with barriers: a versatile earthquake model, *J. Geophys. Res.*, **82**, No. 36, pp. 5658 – 5670
- Das S., Kostrov B. V. ( 1983 ) : Breaking of a single asperity: rupture process and seismic radiation, *J. Geophys. Res.*, **88**, No. B5, pp. 4277 – 4288
- Day S. M. ( 1982 ) : Three – dimensional finite difference simulation of fault dynamics: rectangular faults with fixed rupture, *Bull. Seism. Soc. Am.*, **72**, pp. 705 – 727
- Dieterich J. H. ( 1978 ) : Time – dependent friction and the mechanics of stick slip, *Pure Appl. Geophys.*, **116**, pp. 790 – 806
- Dieterich J. H. ( 1979a ) : Modeling of rock friction – I. Experimental results and constitutive equations, *J. Geophys. Res.*, **84**, No. B5, pp. 2161 – 2168

References

- Dieterich J. H. ( 1979b ) : Modeling of rock friction – II. Simulation of preseismic slip, *J. Geophys. Res.*, **84**, No. B5, pp. 2169 – 2175
- Dieterich J. H. ( 1981 ) : Constitutive properties of faults with simulated gouge, *Mechanical Behavior of Crustal Rocks, Geophysical Monograph*, **24**, edited by N. L. Carter, M. Friedman, J. M. Logan e D. W. Stearns, *Am. Geophys. Union*, Washington D. C., pp. 103 – 120
- Dieterich J. H. ( 1986 ) : A model for the nucleation of earthquake slip, *Earthquake Source Mechanics, Geophysical Monograph*, **37**, *Maurice Ewing Series*, **6**, edited by S. Das, J. Boatwright e C. H. Scholz, *Am. Geophys. Union*, Washington D. C., pp. 37 – 47
- Dieterich J. H. ( 1992 ) : Earthquake nucleation on faults with rate – and state – dependent strength, *Tectonophysics*, **211**, pp. 115 – 134
- Dieterich J. H. ( 1994 ) : A constitutive law for rate of earthquake production and its application to earthquake clustering, *J. Geophys. Res.*, **99**, No. B2, pp. 2601 – 2618
- Dieterich J. H., Conrad G. ( 1984 ) : Effect of humidity on time – and velocity – dependent friction in rocks, *J. Geophys. Res.*, **89**, No. B6, pp. 4196 – 4202
- Dieterich J. H., Kilgore B. ( 1996 ) : Implications of fault constitutive properties for earthquake prediction, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3787 – 3794, Colloquium paper
- Dieterich J. H., Linker M. F. ( 1992 ) : Fault instability under conditions of variable normal stress, *Geophys. Res. Lett.*, **19**, No. 16, pp. 1691 – 1694
- Ellsworth W. L., Beroza G. C. ( 1995 ) : Seismic evidence for an earthquake nucleation phase, *Science*, **268**, pp. 851 – 855

- Fukuyama E., Madariaga R. ( 1998 ) : Rupture dynamics of a planar fault in a 3 D elastic medium: rate – and slip – weakening friction, *Bull. Seism. Soc. Am.*, **88**, No. 1, pp. 1 – 17
- Gomberg J. ( 2001 ) : The failure of earthquake failure models, *J. Geophys. Res.*, **106** , 16253-16263
- Gomberg J., Blanpied M. L., Beeler N. M. ( 1997 ) : Transient triggering of near and distant earthquakes, *Bull. Seism. Soc. Am.*, **87**, 294-309
- Gomberg J., Beeler N. M., and Blanpied M. L. ( 2000 ) : On rate-state and Coulomb failure models, *J. Geophys. Res.*, **105** , 7587-7871
- Gomberg J., Beeler N. M., Blanpied M. L., Bodin P. ( 1998 ) : Earthquake triggering by transient & static deformations, *J. Geophys. Res.*, **103**, No. B10, pp. 24411 – 24426
- Griffith A. A. ( 1920 ) : The phenomena of rupture and flow in solid, *Phil. Trans. Roy. Soc. London*, **A221**, pp. 163 – 198
- Griffith A. A. ( 1924 ) : The theory of rupture, *Proc. Inst. Congr. Appl. Mech.*, edited by C. B. Biezeno e J. M. Burgers, *Delft: Tech. Boekhandel en Drukkerij J. Walter Jr.*, pp. 54 – 63
- Gu J. C., Rice J. R., Ruina A. L., Tse S. T. ( 1984 ) : Slip motion and stability of a single degree of freedom elastic system with rate and state dependent friction, *J. Mech. Phys. Solids*, **32**, pp. 167 – 196
- Gu Y., Wong T – F. ( 1991 ) : Effects of loading velocity, stiffness, and inertia on the dynamics of a single degree of freedom spring – slider system, *J. Geophys. Res.*, **96**, No. B13, pp. 21677 – 21691

References

- Guatteri M., Spudich P. ( 1998 ) : Coseismic temporal changes of slip direction: the effect of absolute stress on dynamic rupture, *Bull. Seism. Soc. Am.*, **88**, No. 3, pp. 777 – 789
- Guatteri M., Spudich P. ( 2000 ) : What can strong – motion data tell us about slip – weakening fault – friction laws?, *Bull. Seism. Soc. Am.*, **90**, No. 1, pp. 98 – 116
- Guatteri M., Spudich P., Beroza G. C. ( 2001 ) : Inferring rate and state friction parameters from a rupture model of the 1995 Hyogo – ken Nanbu ( Kobe ) Japan earthquake, *J. Geophys. Res.*, **106**, No. B11, pp. 26511 – 26521
- Hamano Y. ( 1975 ) : Dependence of rupture time history on the heterogeneous distribution of stress and strength on the fault ( abstract ), *EOS ( Trans. Am. Geophys. Union )*, **55**, p. 352
- Harris R.( 1998 ) : Introduction to special section: Stress triggers, stress shadows, and implications for seismic hazard, *J. Geophys. Res.*, **103**, 24,347-24,358
- Harris R. A., Day S. M. ( 1997 ) : Effects of a low – velocity zone on a dynamic rupture, *Bull. Seism. Soc. Am.*, **87**, pp. 1267 – 1280
- Harris R., Simpson R. W. ( 1998 ) : Suppression of large earthquakes by stress shadows: a comparison of Coulomb and rate and state failure, *J. Geophys. Res.*, **103**, pp. 24439 - 24451
- Heaton T. H. ( 1990 ) : Evidence for and implications of self – healing pulses of slip in earthquake rupture, *Phys. Earth Plan. Int.*, **64**, pp. 1 – 20
- Hill D. P. et al.( 1993 ) : Seismicity remotely triggered by the Magnitude 7.3 Landers, California, earthquake, *Science*, **260**, pp. 1617 – 1623



- Hughes T. J. R. ( 1987 ) : The finite element method, *Prentice – Hall Inc.*
- Ida Y. ( 1972 ) : Cohesive force across the tip of a longitudinal – shear crack and Griffith' s specific surface energy, *J. Geophys. Res.*, **77**, No. 20, pp. 3796 – 3805
- Ide S., Takeo M. ( 1997 ) : Determination of constitutive relations of fault slip based on seismic wave analysis, *J. Geophys. Res.*, **102**, No. B12, pp. 27379 – 27391
- Ionescu I. R., Campillo M. ( 1999 ) : Influence of the shape of the friction law and fault finiteness on the duration of initiation, *J. Geophys. Res.*, **104**, No. B2, pp. 3013 – 3024
- Irwin G. R. ( 1958 ) : Fracture, *Handbook der Physik*, **VI**, edited by S. Flugge, *Springer – Verlag*, Berlin, pp. 551 – 590
- Jaeger J. C., Cook N. G. W. ( 1969 ) : Fundamentals of rock mechanics, *Chapman and Hall*, John Wiley & Sons, New York
- Kilb D., Gombert J., Bodin P. ( 2000 ) : Earthquake triggering by dynamic stresses, *Nature*, **408**, pp. 570 - 574
- King G. C. P., Cocco M. ( 2000 ) : Fault interaction by elastic stress changes: new clues from earthquake sequences, *Advanced in Geophysics*, **44**, pp. 1 - 38
- Kostrov B. V. ( 1964 ) : Self – similar problems of propagation of shear cracks, *J. Appl. Math. Mech.*, **28**, pp. 1077 – 1087
- Kostrov B. V., Das S. ( 1988 ) : Principles of earthquake source mechanics, *Cambridge Monographs on Mechanics and Applied Mathematics*, *Cambridge University Press*

*References*

- Lapusta N., Rice J. R., Ben - Zion Y., Zheng G. ( 2000 ) : Elastodynamic analysis for slow tectonic loading with spontaneous rupture episodes on faults with rate - and state - dependent friction, *J. Geophys. Res.*, **105**, No. B10, pp. 23765 - 23789
- Linker M. F., Dieterich J. H. ( 1992 ) : Effects of variable normal stress on rock friction: observation and constitutive equations, *J. Geophys. Res.*, **97**, No. B4, pp. 4923 - 4940
- Madariaga R., Cochard A. ( 1994 ) : Seismic source dynamics, heterogeneity and friction, *Ann. Geof.*, **37**, pp. 1349 - 1375
- Madariaga R., Cochard A. ( 1996 ) : Dynamic friction and the origin of the complexity of earthquake sources, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3819 - 3824, Colloquium paper
- Madariaga R., Olsen K., Archuleta R. ( 1998 ) : Modeling dynamic rupture in a 3 D earthquake fault model, *Bull. Seism. Soc. Am.*, **88**, No. 5, pp. 1182 - 1197
- Mair K., Marone C. ( 1999 ) : Friction of simulated fault gauge for a wide range of slip velocities and normal stresses, *J. Geophys. Res.*, **104**, No. B12, pp. 28899 - 28914
- Marone C., Kilgore B. ( 1993 ) : Scaling of the critical slip distance for seismic faulting with shear strain in fault zones , *Nature*, **362**, pp. 618 - 621
- Marone C., Scholz C. H. ( 1988 ) : The depth of seismic faulting and the upper transition from stable to unstable slip regimes, *Geophys. Res. Lett.*, **15**, pp. 621 - 624

- Matsu'ura M., Kataoka H., Shibazaki B. ( 1992 ) : Slip – dependent friction law and nucleation processes in earthquake rupture, *Tectonophysics*, **211**, pp. 135 – 148
- Mikumo T. ( 1992 ) : Dynamic fault rupture and stress recovery processes in continental crust under depth – dependent shear strength and frictional parameters, *Tectonophysics*, **221**, pp. 201 – 222
- Nielsen S. B., Carlson J. M. ( 2000 ) : Rupture pulse characterization: self – healing, self – similar, expanding solutions in a continuum model of fault dynamics, *Bull. Seism. Soc. Am.*, **90**, No. 6, pp. 1480 – 1497
- Nielsen S. B., Carlson J. M., Olsen K. B. ( 2000 ) : Influence of friction and fault geometry on earthquake rupture, *J. Geophys. Res.*, **105**, No. B3, pp. 6069 – 6088
- Nielsen S. B., Madariaga R. ( 2003 ) : On the self – healing fracture mode, *in press on Bull. Seism. Soc. Am.*
- Nostro C., Piersanti A., Antonioli A., Spada G. ( 1999 ) : Spherical versus flat models of coseismic and postseismic deformations, *J. Geophys. Res.*, **104**, No. B6, pp. 13115 – 13134
- Ohnaka M. ( 1990 ) : Nonuniformity of crack – growth resistance and breakdown zone near the propagating tip of a shear crack in brittle rock: a model for earthquake nucleation to dynamic rupture, *Can. J. Phys.*, **68**, pp. 1071 – 1083
- Ohnaka M. ( 1992 ) : Earthquake source nucleation: a physical model for short – term precursors, *Tectonophysics*, **211**, pp. 149 – 178
- Ohnaka M. ( 1993 ) : Critical size of the nucleation zone of earthquake rupture inferred from immediate foreshock activity, *J. Phys. Earth*, **41**, pp. 45 – 56

References

- Ohnaka M. ( 1996 ) : Nonuniformity of the constitutive law parameters for shear rupture and quasistatic nucleation to dynamic rupture: a physical model of earthquake generation processes, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3795 – 3802
- Ohnaka M., Akatsu M., Mochizuki H., Odedra A., Tagashira F., Yamamoto Y. ( 1997 ) : A constitutive law for the shear failure of rock under lithospheric conditions, *Tectonophysics*, **277**, pp. 1 – 27
- Ohnaka M., Kuwahara Y. ( 1990 ) : Characteristic features of local breakdown near a crack – tip in the transition zone from nucleation to unstable rupture during stick – slip shear failure, *Tectonophysics*, **175**, pp. 197 – 220
- Ohnaka M., Kuwahara Y., Yamamoto K. ( 1987 ) : Constitutive relations between dynamic physical parameters near a tip of the propagating slip zone during stick – slip shear failure, *Tectonophysics*, **144**, pp. 109 – 125
- Ohnaka M., Shen L. ( 1999 ) : Scaling of the shear rupture process from nucleation to dynamic propagation: implications of geometric irregularity of the rupturing surfaces, *J. Geophys. Res.*, **104**, No. B1, pp. 817 – 844
- Ohnaka M., Yamashita T. ( 1989 ) : A cohesive zone model for dynamic shear faulting based on experimentally inferred constitutive relation and strong motion source parameters, *J. Geophys. Res.*, **94**, No. B4, pp. 4089 – 4104
- Okubo P. G. ( 1989 ) : Dynamic rupture modeling with laboratory – derived constitutive relations, *J. Geophys. Res.*, **94**, No. B9, pp. 12321 – 12335
- Okubo P. G., Dieterich J. H. ( 1986 ) : State variable fault constitutive relations for dynamic slip, *Earthquake Source Mechanics, Geophysical Monograph*, **37**, *Maurice Ewing Series*, **6**, a cura di S. Das, J. Boatwright, C. Scholz, *Am. Geophys. Union*, Washington D. C., pp. 25 – 35

- Olsen K. B., Madariaga R., Archuleta R. J. ( 1997 ) : Three – dimensional dynamic simulation of the 1992 Landers earthquake, *Science*, **278**, pp. 834 – 838
- Papageorgiou A. S., Aki K. ( 1983 ) : A specific barrier model for the quantitative description of inhomogeneous faulting and the prediction of strong ground motion – II. Application of the model, *Bull. Seism. Soc. Am.*, **73**, pp. 953 – 978
- Perfettini H., Stein R. S., Simpson R. W., Cocco M. ( 1999 ) : Stress transfer by the 1988 – 1989  $M = 5.3$  and  $5.4$  Lake Elsmar foreshocks to the Loma Prieta fault: unclamping at the site of peak mainshock slip, *J. Geophys. Res.*, **104**, No. B9, pp. 20169 – 20182
- Perrin G., Rice J. R., Zheng G. ( 1995 ) : Self – healing slip pulse on a frictional surface, *J. Mech. Phys. Solids*, **43**, pp. 1461 – 1495
- Petschek A. G., Hanson M. E. ( 1968 ) : Difference equation for two – dimensional elastic flow, *J. Comp. Phys.*, **3**, p. 307
- Peyrat S., Olsen K. B., Madariaga R. ( 2001 ) : Dynamic modeling of the 1992 Landers earthquake, *J. Geophys. Res.*, **106**, No. B11, pp. 26467 – 26482
- Press W. H., Flannery B. P., Teukolsky S. A., Vetterling W. T. ( 1992 ) : Numerical Recipes. The art of scientific computing ( Fortran version ), second edition, *Cambridge University Press*
- Rabinowicz E. ( 1965 ) : Friction and wear of materials, *John Wiley and Sons*, New York, London, Sidney
- Rajjith K., Rice J. R. ( 1999 ) : Stability of quasi-static slip in single degree of freedom elastic system with rate and state dependent friction, *J. Mech. Phys. Solids.*, **47**, pp. 1207 - 1218

*References*

- Reid H. F. ( 1910 ) : The mechanics of the earthquake, *Rept. State Earthquake Inv. Comm., The California Earthquake of April 18, 1906*, Washington D. C., Carnegie Inst.
- Rice J. R. ( 1993 ) : Spatio – temporal complexity of slip on a fault, *J. Geophys. Res.*, **98**, pp. 9885 – 9907
- Rice J. R., Ben – Zion Y. ( 1996 ) : Slip complexity in earthquake fault models, *Proc. Natl. Acad. Sci. USA*, **93**, pp. 3811 – 3818
- Rice J. R, Gu J.( 1983 ) : Earthquake after effects and triggered seismicity phenomena, *Pure Appl. Geophys.*, **121**, pp. 187 - 219
- Rice J. R., Ruina A. L. ( 1983 ) : Stability of steady frictional slipping, *J. Appl. Mech.*, **50**, pp. 343 – 349
- Rice J. R., Tse S. T. ( 1986 ) : Dynamic motion of a single degree of freedom system following a rate and state dependent friction law, *J. Geophys. Res.*, **91**, No. B1, pp. 521 – 530
- Richards P. G. ( 1976 ) : Dynamic motions near an earthquake fault: a three – dimensional solution, *Bull. Seism. Soc. Am.*, **66**, No. 1, pp. 1 – 32
- Rosakis A. J., Samudrala O., Coker D. ( 1999 ) : Cracks faster than shear wave speed, *Science*, **284**, pp. 1337 – 1340
- Roy M., Marone C. ( 1996 ) : Earthquake nucleation on model faults with rate – and state – dependent friction: effects of inertia, *J. Geophys. Res.*, **101**, No. B6, pp. 13919 – 13932
- Ruina A. L. ( 1980 ) : Friction laws and instabilities: a quasistatic analysis of some dry frictional behavior, *Ph. D. Thesis in Engineering at Brown University*, Providence, RI

- Ruina A. L. ( 1983 ) : Slip instability and state variable friction law, *J. Geophys. Res.*, **88**, No. B12, pp. 10359 – 10370
- Rybicki K., Sato T., Kasahara K. ( 1985 ) : Mechanical interaction between neighboring active faults: static and dynamic stress field induced by faulting, *Bull. Earthquake Res. Inst.*, **60**, pp. 1 – 21
- Scholz, C. H. ( 1990 ) : The Mechanics of Earthquakes and Faulting, Cambridge University Press, Cambridge, USA
- Scholz, C. H. ( 1998 ) : Earthquakes and friction laws, *Nature*, **391**, pp. 37 – 42
- Segall P., Rice J. R. ( 1995 ) : Dilatancy, compaction, and slip instability of a fluid – infiltrated fault, *J. Geophys. Res.*, **100**, No. 101, pp. 22155 – 22171
- Senatorski P. ( 1994 ) : Spatio – temporal evolution of faults: deterministic model, *Physica D*, **76**, pp. 420 – 435
- Sleep N. H. ( 1997 ) : Application of a unified rate and state friction theory to the mechanics of fault zones with strain localization, *J. Geophys. Res.*, **102**, No. B2, pp. 2875 – 2895
- Shibazaki B., Matsu'ura M. ( 1998 ) : Transition process from nucleation to high – speed rupture propagation: scaling from stick – slip experiments to natural earthquakes, *Geophys. J. Intl.*, **132**, pp. 14 – 30
- Stein, R. S. ( 1999 ) : The role of stress transfer in earthquake occurrence, *Nature*, **402**, pp. 606 - 609
- Trulio J. G. ( 1964 ) : Studies of finite difference techniques for continuum mechanics, Air Force Weapons Laboratory, Technical Documentary, *Report No. WLTD-64-72*

*References*

- Tse S. T., Rice J. R. ( 1986 ) : Crustal earthquake instability in relation to the depth variation of frictional slip properties, *J. Geophys. Res.*, **91**, No. B9, pp. 9452 – 9472
- Umeda Y. ( 1992 ): The bright spot of an earthquake, *Tectonophysics*, **211**, pp. 13 – 22
- Voisin C. ( 2001 ) : Dynamic triggering of earthquakes: the linear slip-dependent friction case, *Geophys. Res. Lett.*, **28**, pp. 3357 - 3360
- Weeks J. D. ( 1993 ) : Constitutive laws for high – velocity frictional sliding and their influence on stress drop during unstable slip, *J. Geophys. Res.*, **98**, No. B10, pp. 17637 – 17648
- Weeks J. D., Tullis T. E. ( 1985 ) : Frictional sliding of dolomite: a variation in constitutive behavior, *J. Geophys. Res.*, **90**, pp. 7821 – 7826
- Weertman J. ( 1980 ) : Unstable slippage across a fault that separates elastic media of different elastic constants, *J. Geophys. Res.*, **85**, No. B3, pp. 1455 – 1461
- Zheng G., Rice J. R. ( 1998 ) : Conditions under which velocity – weakening friction allows a self – healing versus a cracklike mode of rupture, *Bull. Seism. Soc. Am.*, **88**, No. 6, pp. 1466 – 1483