

Bibliografia

- Achenbach J. D., Abo – Zena A. M. (1973) : Analysis of the dynamics of strike – slip faulting, *J. Geophys. Res.*, **78**, pp. 866 – 875
- Aki K. (1979) : Characterization of barriers on an earthquake fault, *J. Geophys. Res.*, **84**, No. B11, pp. 6140 – 6148
- Aki K., Richards P. G. (1980) : Quantitative seismology. Theory and method, voll. I e II, *W. H. Company*, San Francisco
- Andrews D. J. (1973) : A numerical study of tectonic stress release by underground explosions, *Bull. Seism. Soc. Am.*, **63**, No. 4, pp. 1375 – 1391
- Andrews D. J. (1976a) : Rupture propagation with finite stress in antiplane strain, *J. Geophys. Res.*, **81**, No. 20, pp. 3575 – 3582
- Andrews D. J. (1976b) : Rupture velocity of plane strain shear cracks, *J. Geophys. Res.*, **81**, No. 32, pp. 5679 – 5687
- Andrews D. J. (1985) : Dynamic plane – strain shear rupture with a slip – weakening friction law calculated by a boundary integral method, *Bull. Seism. Soc. Am.*, **75**, No. 1, pp. 1 – 21
- Andrews D. J. (1993) : Fault geometry and earthquake mechanics, *comunicazione personale presso l' International School of Solid Earth Geophysics, Earthquake Source Mechanics*, Erice, 31 agosto – 7 settembre 1993

Bibliografia

Andrews D. J. (1994) : Dynamic growth of mixed – mode shear cracks, *Bull. Seism. Soc. Am.*, **84**, No. 4, pp. 1184 – 1198

Andrews D. J. (s. d.) : Application of rupture propagation theories to earthquakes

Andrews D. J., Ben – Zion Y. (1997) : Wrinkle – like pulse on a fault between different materials, *J. Geophys. Res.*, **102**, No. B1, pp. 553 – 571

Andrews D. J., Das S. (1984) : Dynamic mixed – mode shear cracks calculation by a boundary integral method with a generalized friction law, *frammento di paper – to – be*

Backus G. E., Mulcahy M. (1976a) : Moment tensors and other phenomenological description of seismic sources – I. Continuous displacements, *Geophys. J.*, **46**, pp. 341 – 361

Backus G. E., Mulcahy M. (1976b) : Moment tensors and other phenomenological description of seismic sources – II. Discontinuous displacements, *Geophys. J.*, **47**, pp. 301 – 329

Baker B. R. (1962) : Dynamic stresses created by a moving crack, *J. Appl. Mech.*, **29**, pp. 449 – 458

Barenblatt G. I. (1959a) : The formation of equilibrium cracks during brittle fracture, general ideas and hypothesis: axially symmetric cracks, *Appl. Math. Mech.*, **23**, pp. 662 – 636

Barenblatt G. I. (1959b) : Concerning equilibrium forming during brittle fracture: the stability of isolated cracks, relationship with energetic theories, *Appl. Math. Mech.*, **23**, pp. 1273 – 1282

- Belardinelli M. E., Belardinelli E. (1996) : The quasi – static approximation of the spring – slider motion, *Nonlinear Processes in Geophysics*, in press
- Beroza G. C., Mikumo T. (1996) : Short slip duration in dynamic rupture in the presence of heterogeneous fault properties, *sottomesso a J. Geophys. Res. - Solid Earth*
- Bland D. R. (1960) : The theory of linear viscoelasticity, *Pergamon Press*
- Blanpied M. L., Lockner D. A., Byerlee J. D. (1991) : Fault stability inferred from granite sliding experiments at hydrothermal conditions, *Geophys. Res. Lett.*, **18**, pp. 609 – 612
- Boatwright J., Cocco M., Okubo P. G. (1995) : How earthquakes stop in stable – sliding areas, *Atti del fall meeting of the American Geophysical Union 1995*, p. F415, *EOS (Trans. Am. Geophys. Union)*
- Boatwright J., Cocco M. (1996) : Frictional constraints on crustal faulting, *J. Geophys. Res.*, **101**, No. B6, pp. 13895 – 13909
- Boatwright J., Quin H. (1985) : The seismic radiation from a 3 – D dynamic model of a complex rupture process, *comunicazione personale presso il V Ewing Symposium on Earthquake Source Mechanics*, Harriman, N. Y., 20 – 24 maggio 1985
- Boschi E., Dragoni M. (1988) : L' ira di Poseidone. Cos' è un terremoto e come difendersi, *Editrice Galileo Galilei*
- Bowden F. P., Tabor D. (1950) : The friction and lubrication of solids, *Part I Oxford: Clarendon Press*
- Bowden F. P., Tabor D. (1964) : The friction and lubrication of solids, *Part II Oxford: Clarendon Press*

Bibliografia

- Broberg K. B. (1960) : The propagation of a brittle crack, *Arch. Phys.*, **18**, pp. 159 – 192
- Budiansky B., Rice J. R. (1979) : An integral equation for dynamic elastic response of an isolated 3 – D crack, *Wave Motion*, **1**, pp. 187 – 192
- Burridge R. (1969) : The numerical solution of certain integral equations with non integrable kernels arising in the theory of crack propagation and elastic wave diffraction, *Phil. Trans. Roy. Soc. London*, **A265**, pp. 353 – 381
- Burridge R. (1973) : Admissible speeds for plane – strain self – similar shear cracks with friction but lacking cohesion, *Geophys. J. Roy. Astr. Soc.*, **53**, pp. 439 – 455
- Burridge R., Knopoff L. (1967) : Model and theoretical seismicity, *Bull. Seism. Soc. Am.*, **57**, pp. 341 – 371
- Burridge R., Levy C. (1974) : Self – similar circular shear cracks lacking cohesion, *Bull. Seism. Soc. Am.*, **64**, No 6, pp. 1789 – 1808
- Burridge R., Moon R. (1981) : Slipping on a frictional fault plane in three dimensions: a numerical simulation of a scalar analog, *Geophys. J. Roy. Astr. Soc.*, **67**, pp. 325 – 342
- Burridge R., Willis J. R. (1969) : The self – similar problem of the expanding elliptical crack in an anisotropic solid, *Proc. Camb. Phil. Soc.*, **66**, pp. 443 – 468
- Cochard A., Madariaga R. (1995) : Complexity of seismicity due to highly rate dependent friction, *sottomesso a J. Geophys. Res.*

- Das S. (1976) : A numerical study of rupture propagation and earthquake source mechanism, *Sc. D. Thesis, Massachusetts Institute of Technology, Cambridge*
- Das S. (1980) : A numerical method for determination of source time functions for general three – dimensional rupture propagation, *Geophys. J. Roy. Astr. Soc.*, **62**, pp. 591 – 604
- Das S. (1981) : Three – dimensional spontaneous rupture propagation and implication for the earthquake source mechanism, *Geophys. J. Roy. Astr. Soc.*, **67**, pp. 375 – 393
- Das S., Aki K. (1977a) : A numerical study of two – dimensional spontaneous rupture propagation, *Geophys. J. Roy. Astr. Soc.*, **50**, pp. 643 – 668
- Das S., Aki K. (1977b) : Fault plane with barriers: a versatile earthquake model, *J. Geophys. Res.*, **82**, No. 36, pp. 5658 – 5670
- Das S., Kostrov B. V. (1987) : On the numerical boundary integral equation method for three – dimensional dynamic shear crack problems, *J. Appl. Mech.*, **109**, pp. 99 – 104
- Day S. M. (1979) : Three – dimensional finite difference simulation of fault dynamics, *Final Report SSS-R-80-4295, Systems, Science and Software, La Jolla, California*
- Day S. M. (1982) : Three – dimensional finite difference simulation of fault dynamics: rectangular faults with fixed rupture, *Bull. Seism. Soc. Am.*, **72**, pp. 705 – 727
- Dieterich J. H. (1978) : Time – dependent friction and the mechanics of stick slip, *Pure Appl. Geophys.*, **116**, pp. 790 – 806

Bibliografia

- Dieterich J. H. (1979a) : Modeling of rock friction – I. Experimental results and constitutive equations, *J. Geophys. Res.*, **84**, No. B5, pp. 2161 – 2168
- Dieterich J. H. (1979b) : Modeling of rock friction – II. Simulation of preseismic slip, *J. Geophys. Res.*, **84**, No. B5, pp. 2169 – 2175
- Dieterich J. H. (1981) : Constitutive proprieties of faults with simulated gouge, *Mechanical Behavior of Crustal Rocks, Geophysical Monograph*, **24**, a cura di N. I. Carter, M. Friedman, J. M. Logan e D. W. Stearns, *Am. Geophys. Union*, Washington D. C., pp. 103 – 120
- Dieterich J. H. (1986) : A model for the nucleation of earthquake slip, *Earthquake Source Mechanics, Geophysical Monograph*, **37**, *Maurice Ewing Series*, **6**, a cura di S. Das, J. Boatwright e C. H. Scholz, *Am. Geophys. Union*, Washington D. C., pp. 37 – 47
- Dieterich J. H. (1992) : Earthquake nucleation on faults with rate and state dependent strength, *Tectonophysics*, **211**, pp. 115 – 134
- Dieterich J. H., Kilgore B. D. (1994) : Direct observations of frictional contacts: new insights for state – dependent proprieties, *Pure Appl. Geophys.*, **143**, Ni. 1 – 3, pp. 283 – 302
- Ellsworth W. L., Beroza G. C. (1994) : Seismic evidence for an earthquake nucleation phase, *sottomesso a Science*
- Elsasser W. M. (1969) : Convection and stress propagation in the upper mantle, in *The Application of Modern Physics to the Earth and Planetary Interiors*, S. K. Runcorn New York: Wiley Interscience, pp. 223 – 246
- Eshelby J. D. (1956) : The continuum theory of lattice defects, *Solid State Phys.*, **3**, pp. 79 – 144

- Eshelby J. D. (1957) : The determination of the elastic field of an ellipsoidal inclusion, and related problems, *Proc. Roy. Soc. London*, **A241**, pp. 376 – 396
- Eshelby J. D. (1969) : The elastic field of a crack extending non – uniformly under general antiplane loading, *J. Mech. Phys. Solids*, **17**, pp. 177 – 199
- Griffith A. A. (1920) : The phenomena of rupture and flow in solid, *Phil. Trans. Roy. Soc. London*, **A221**, pp. 163 – 198
- Griffith A. A. (1924) : The theory of rupture, *Proc. Inst. Congr. Appl. Mech.*, a cura di C. B. Biezeno e J. M. Burgers, *Delft: Tech. Boekhandel en Drukkerij J. Walter Jr.*, pp. 54 – 63
- Gu J. (1986) : Friction constitutive law with rate and state dependences, *Pure Appl. Geophys.*, **124**, Ni. 4 – 5, pp. 773 – 791
- Gu J. C., Rice J. R., Ruina A. L., Tse S. T. (1984) : Slip motion and stability of a single degree of freedom elastic system with rate and state dependent friction, *J. Mech. Phys. Solids*, **32**, pp. 167 – 196
- Hamano Y. (1975) : Dependence of rupture time history on the heterogeneous distribution of stress and strength on the fault (abstract), *EOS (Trans. Am. Geophys. Union)*, **55**, p. 352
- Harris R. A., Day S. M. (1993a) : Dynamics of fault interaction: parallel strike – slip faults, *J. Geophys. Res.*, **98**, No. B3, pp. 4461 – 4472
- Harris R. A., Day S. M. (1993b) : Correction to “ Dynamics of fault interaction: parallel strike – slip faults ”, *J. Geophys. Res.*, **98**, No. B4, p. 6665
- Harris R. A., Day S. M. (1996) : Effects of a low – velocity zone on a dynamic rupture, *sottomesso a Bull. Seism. Soc. Am.*

Bibliografia

- Heaton T. H. (1990) : Evidence for and implication of self – healing pulses of slip in earthquake rupture, *Phys. Earth Plan. Int.*, **64**, pp. 1 – 20
- Huang J., Narkounskaia G., Turcotte D. L. (1992) : A cellular – automata, slider – block model for earthquake – II. Demonstration of self – organized criticality for a 2 – D system, *Geophys. J. Intl.*, **111**, pp. 259 – 269
- Huang J., Turcotte D. L. (1990) : Are earthquakes an example of deterministic chaos ?, *Geophys. Res. Lett.*, **17**, No. 3, pp. 223 – 226
- Husseini M. I., Jovanovich D. B., Randall M. J., Freund L. B. (1975) : The fracture energy of earthquakes, *Geophys. J. Roy. Astr. Soc.*, **43**, pp. 367 – 385
- Ida Y. (1972) : Cohesive force across the tip of a longitudinal – shear crack and Griffith' s specific surface energy, *J. Geophys. Res.*, **77**, No. 20, pp. 3796 – 3805
- Irwin G. R. (1958) : Fracture, *Handbook der Physik*, **VI**, a cura di S. Flugge, *Springer – Verlag*, Berlino, pp. 551 – 590
- Kamamori H. (1981) : The nature of seismicity patterns before large earthquakes, *Earthquake prediction – An International Review, Maurice Ewing Series*, **4**, a cura di D. W. Simson e P. G. Richards, *Am. Geophys. Union*, Washington D. C., pp. 1 – 19
- Knopoff L. (1958) : Energy release in earthquakes, *Geophys. J. Roy. Astr. Soc.*, **1**, pp. 44 – 52
- Kosloff D. D., Liu H. – P. (1980) : Reformulation and discussion of mechanical behavior of the velocity – dependent friction law proposed by Dieterich, *Geophys. Res. Lett.*, **7**, No. 11, pp. 913 – 916

- Kostrov B. V. (1964) : Self – similar problems of propagation of shear cracks, *J. Appl. Math. Mech.*, **28**, pp. 1077 – 1087
- Kostrov B. V. (1966) : Unsteady propagation of longitudinal shear cracks, *J. Appl. Math. Mech.*, **30**, pp. 1241 – 1248
- Kostrov B. V., Das S. (1988) : Principles of earthquake source mechanics, *Cambridge Monographs on Mechanics and Applied Mathematics*, Cambridge University Press
- Lay T., Kamamori H. (1981) : An asperity model of large earthquake sequences, *Earthquake prediction – An International Review, Maurice Ewing Series*, **4**, a cura di D. W. Simson e P. G. Richards, *Am. Geophys. Union*, Washington D. C., pp. 579 – 592
- Linker M. F., Dieterich J. H. (1992) : Effects of variable normal stress on rock friction: observation and constitutive equations, *J. Geophys. Res.*, **94**, No. B4, pp. 4923 – 4940
- Madariaga R. (1976) : Dynamics of an expanding circular fault, *Bull. Seism. Soc. Am.*, **66**, pp. 639 – 666
- Madariaga R., Cochard A. (1994) : Seismic source dynamics, heterogeneity and friction, *Annali di Geofisica*, in corso di stampa
- Marone C., Kilgore B. (1993) : Scaling of the critical slip distance for seismic faulting with shear strain in fault zones , *Nature*, **362**, pp. 618 – 621
- Mikumo T. (1992) : Dynamic fault rupture and stress recovery processes in continental crust under depth – dependent shear strength and frictional parameters, *Tectonophysics*, **221**, pp. 201 – 222

Bibliografia

- Mikumo T., Miyatake T. (1978) : Dynamical rupture process on a three – dimensional fault with non – uniform frictions and near – field seismic waves, *Geophys. J. Roy. Astr. Soc.*, **54**, pp. 417 – 438
- Miyatake T. (1992) : Numerical simulation of three – dimensional faulting processes with heterogeneous rate and state dependent friction, *Tectonophysics*, **221**, pp. 223 – 232
- Montelli R. (1995) : La meccanica di una faglia sismogenetica: leggi di attrito e dinamica dei processi di fagliazione, *Tesi di Laurea in Fisica presso l'Università degli Studi di Bologna*
- Narkounskaia G., Turcotte D. L. (1992) : A cellular – automata, slider – block model for earthquake. – I. Demonstration of chaotic behaviour for a low – order system, *Geophys. J. Intl.*, **111**, pp. 250 – 258
- Ohnaka M. (1990) : Nonuniformity of crack – growth resistance and breakdown zone near the propagating tip of a shear crack in the brittle rock: a model for earthquake nucleation to dynamic rupture, *Can. J. Phys.*, **68**, pp. 1071 – 1083
- Ohnaka M., Yamashita T. (1989) : A cohesive zone model for dynamic shear faulting based on experimentally inferred constitutive relation and strong motion source parameters, *J. Geophys. Res.*, **94**, No. B4, pp. 4089 – 4104
- Okubo P. G. (1989) : Dynamic rupture modeling with laboratory – derived constitutive relations, *J. Geophys. Res.*, **94**, No. B9, pp. 12321 – 12335
- Okubo P. G., Dieterich J. H. (1986) : State variable fault constitutive relations for dynamic slip, *Earthquake Source Mechanics, Geophysical Monograph*, **37**, *Maurice Ewing Series*, **6**, a cura di S. Das, J. Boatwright, C. Scholz, *Am. Geophys. Union*, Washington D. C., pp. 25 – 35

- Pacor F., Cocco M., Boatwright J. (1988)** : Modelli dinamici della sorgente sismica: studio dell' espansione della rottura su faglie finite, *Atti del VII Convegno Annuale del Gruppo Nazionale di Geofisica della Terra Solida*, pp. 545 – 561
- Papageorgiou A. S., Aki K. (1983)** : A specific barrier model for the quantitative description of inhomogeneous faulting and the prediction of strong ground motion – II. Application of the model, *Bull. Seism. Soc. Am.*, **73**, pp. 953 – 978
- Perfettini H., Stein R. S., Simpson R. W., Cocco M. (1998)** : Stress transfer by the M = 5.3, 5.4 Lake Elsmar Earthquakes to the Loma Prieta Fault: unclamping at the site of peak 1989 slip, *for internal USGS Review*
- Perrin G., Rice J. R., Zheng G. (1994)** : Self – healing slip pulse on a frictional surface, *sottomesso a J. Mech. Phys. Solids*
- Petschek A. G., Hanson M. E. (1968)** : Difference equation for two – dimensional elastic flow, *J. Comp. Phys.*, **3**, p. 307
- Press W. H., Flannery B. P., Teukolsky S. A., Vetterling W. T. (1989)** : Numerical Recipes. The art of scientific computing (Fortran version), *Cambridge University Press*
- Quin H. R., Das S. X. (1989)** : A hybrid boundary integral equation method for the computation of source time function for 3 – D rupture propagation, *Geophys. J.*, **96**, pp. 163 – 177
- Rabinowicz E. (1958)** : The intrinsic variables affecting the stick – slip process, *Proc. Phys. Soc.*, **71**, pp. 443 – 475

Bibliografia

- Reid H. F. (1910) : The mechanics of the earthquake, *Rept. State Earthquake Inv. Comm., The California Earthquake of April 18, 1906*, Washington D. C.: Carnegie Inst.
- Rice J. R. (1993) : Spatio – temporal complexity of slip on a fault, *J. Geophys. Res.*, **98**, pp. 9885 – 9907
- Rice J. R., Ben – Zion Y. (1995) : Slip complexity in earthquake fault models, *Proceedings of National Academy of Sciences USA*, in corso di stampa
- Rice J. R., Ruina A. L. (1983) : Stability of steady frictional slipping, *J. Appl. Mech.*, **50**, pp. 343 – 349
- Rice J. R., Tse S. T. (1986) : Dynamic motion of a single degree of freedom system following a rate and state dependent friction, *J. Geophys. Res.*, **91**, No. B1, pp. 521 – 530
- Richards P. G. (1976) : Dynamic motions near an earthquake fault: a three – dimensional solution, *Bull. Seism. Soc. Am.*, **66**, No 1, pp. 1 – 32
- Richards P. G. (1979) : Elementary solutions to Lamb' s problem for a point source and their relevance to three – dimensional studies of spontaneous crack propagation, *Bull. Seism. Soc. Am.*, **69**, No. 4, pp. 947 – 956
- Ruina A. L. (1980) : Friction laws and instabilities: a quasistatic analysis of some dry frictional behavior, *Ph. D. Thesis in Engineering at Brown University*, Providence
- Ruina A. L. (1983) : Slip instability and state variable friction law, *J. Geophys. Res.*, **88**, No. B12, pp. 10359 – 10370
- Scholz C. (1990) : The mechanics of earthquakes and faulting, *Cambridge University Press*

- Shibazaki B., Matsu'ura M. (1994) : Transition process from nucleation to high – speed rupture propagation: scaling from stick – slip experiments to natural earthquake, *sottomesso a J. Geophys. Res.*
- Sibson R. H. (1984) : Roughness at the base of the seismogenic zone contributing factors, *J. Geophys. Res.*, **89**, No. B7, pp. 5791 – 5799
- Slepyan L. I. (1976) : Crack dynamics in an elastic–plastic body, *MTT (english transl.)*, **11**, pp. 126 – 134
- Spudich P. (1991) : Note personali sul codice QUIN, *inedite*
- Stesky R. (1978) : Mechanism of high temperature frictional sliding in Westerly granite, *Can. J. Earth. Sci.*, **15**, pp. 361 – 375
- Tse S. T., Rice J. R. (1986) : Crustal earthquake instability in relation to the depth variation of frictional slip proprieties, *J. Geophys. Res.*, **91**, No. B9, pp. 9452 – 9472
- Trulio J. G. (1964) : Studies of finite difference techniques for continuum mechanics, Air Force Weapons Laboratory, Technical Documentary, *Report No. WLTD-64- 72*
- Tullis T. E., Weeks J. D. (1986) : Constitutive behavior and stability of frictional sliding of granite, *Pure Appl. Geophys.*, **124**, No. B3, pp 383 – 413
- Virieux J., Madariaga R. (1982) : Dynamic faulting studied by a finite difference method, *Bull. Seism. Soc. Am.*, **72**, pp. 345 – 369
- Weeks J. D. (1993) : Constitutive laws for high – velocity frictional sliding and their influence on stress drop during unstable slip, *J. Geophys. Res.*, **98**, No. B10, pp. 17637 – 17648

Bibliografia

Weeks J. D., Tullis T. E. (1985) : Frictional sliding of dolomite: a variation in constitutive behavior, *J. Geophys. Res.*, **90**, pp. 7821 – 7826

Willis J. R. (1973) : Self – similar problems in elastodynamics, *Phil. Trans. Roy. Soc. London*, **A274**, pp. 435 – 491